

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 01/07/2015 Revision date: 19/08/2021 Supersedes version of: 05/06/2020 Version: 8.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form Product name UFI Product code	: Mixture : Cleanline Destainer & Tannin Remover : HD2H-00ES-H00X-C8U9 : CL1007
1.2. Relevant identified uses of the	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Cleaning product
1.2.2. Uses advised against	

Restrictions on use

: Anything other than intended use as listed on the label.

### 1.3. Details of the supplier of the safety data sheet

Supplier	Supplier
Prime Source	Prime Source
PO Box 15247	Unit D9
Birmingham	Horizon Logistics Park
B23 3HN	Co. Dublin
UK	K67 N4T2
Tel: 08085 749312	Ireland
E-mail: info@prime-source.co.uk	Tel: +353 (0)1 630 1800
	Email: info@prime-source.co.uk

#### 1.4. Emergency telephone number

Emergency number

: +44 (0) 1865 407 333 24 hour - Medical Emergency Only

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1		
Serious eye damage/eye irritation, Category 1	H318	
Hazardous to the aquatic environment — Chronic Hazard, Category 2		

Full text of H-statements: see section 16

### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272	/2008 [CLP]
Hazard pictograms (CLP)	
Circuit (CLD)	GHS05 GHS09
Signal word (CLP)	: Danger
Contains	: sodium hypochlorite, solution % Cl active
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P280 - Wear eye protection, protective gloves.
	P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P391 - Collect spillage.
	P310 - Immediately call a doctor, a POISON CENTER.
	1 510 - Infinedialely can a doctor, a 1 010011 CENTER.
2.3. Other hazards	

No additional information available

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

### Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium carbonate	(CAS-No.) 497-19-8 (EC-No.) 207-838-8 (EC Index-No.) 011-005-00-2 (REACH-no) 01-2119485498-19	≥ 1 – < 10	Eye Irrit. 2, H319
sodium hypochlorite, solution % Cl active	(CAS-No.) 7681-52-9 (EC-No.) 231-668-3 (EC Index-No.) 017-011-00-1 (REACH-no) 01-2119488154-34	≥ 1 – < 10	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
sodium hypochlorite, solution… % Cl active	(CAS-No.) 7681-52-9 (EC-No.) 231-668-3 (EC Index-No.) 017-011-00-1 (REACH-no) 01-2119488154-34	( 5 ≤C ≤ 100) EUH031

### Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation	<ul><li>Call a physician immediately.</li><li>Remove person to fresh air and keep comfortable for breathing.</li></ul>

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effec	ts, both acute and delayed
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measu	ures
6.1. Personal precautions, protective equi	ipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containmen	t and cleaning up
For containment Methods for cleaning up Other information	<ul> <li>Collect spillage.</li> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Incompatible products : O	tore in corrosive resistant container with a resistant inner liner. Keep only in original ontainer. Store locked up. Store in a well-ventilated place. Keep cool.
han a man addular an ada marta	Dxidizing agent. Strong acids.
Incompatible materials : M	letals.
Special rules on packaging Ke	eep only in original container. Store in a closed container.

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

#### Eye protection:

Safety glasses. Use eye protection according to EN 166.

#### Skin and body protection:

If direct or repeated skin contact is likely, wear suitable protective clothing

#### **Respiratory protection:**

Not required for normal conditions of use

#### Personal protective equipment symbol(s):



#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

A risk assessment should be carried out prior to use to determine the exposure risk to the chemical. Specific work environments and material handling practices may vary; therefore, safety procedures should be developed and PPE selected for each intended application. Consultation with PPE supplier/manufacturer will help determine suitability as protection time cannot be accurately estimated for mixtures (such as glove breakthrough time). PPE should be worn to prevent any contact with the chemical. Any contaminated clothing should be washed prior to re-use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: light yellow.	
Odour	: chlorine-like.	
Odour threshold	: No data available	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

рН	: > 11.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.07 – 1.09
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### **10.2. Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

metals.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11.1. Information on toxicological ef	-	
	fects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	

sodium hypochlorite, solution % Cl active (7681-52-9)			
	LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal	
		Toxicity), Guideline: other:16 CFR 1500.40	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium carbonate (497-19-8)		
LD50 oral rat	2800 mg/kg bodyweight Animal: rat	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:EPA 16 CFR 1500.40	
Skin corrosion/irritation	: Causes severe skin burns. pH: > 11.5	
Serious eye damage/irritation	: Causes serious eye damage. pH: > 11.5	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

## **SECTION 12: Ecological information**

12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term	: Toxic to aquatic life with long lasting effects. : Not classified
(acute) Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

sodium hypochlorite, solution % CI active (7681-52-9)		
EC50 Daphnia 1	141 μg/l Test organisms (species): Daphnia magna	
EC50 Daphnia 2	35 μg/l Test organisms (species): Ceriodaphnia dubia	
EC50 72h algae (1)	0.0365 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h algae (2)	0.0183 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	

sodium carbonate (497-19-8)	
LC50 fish 1	300 mg/l Test organisms (species): Lepomis macrochirus
EC50 Daphnia 1	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.

## 12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential	
No additional information available	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

Waste treatment methods

Product/Packaging disposal recommendations

Dispose of contents/container in accordance with licensed collector's sorting instructions.
Wash packaging with a suitable cleaner (water) before recycling. Otherwise dispose of as contaminated packaging. Always dispose of packaging in accordance with local regulations.
20 01 29\* - detergents containing dangerous substances

European List of Waste (LoW) code

15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID		
14.1. UN number						
UN 1791	UN 1791	UN 1791	UN 1791	UN 1791		
14.2. UN proper shipping name						
HYPOCHLORITE SOLUTION	HYPOCHLORITE SOLUTION	Hypochlorite solution	HYPOCHLORITE SOLUTION	HYPOCHLORITE SOLUTION		
Fransport document description						
UN 1791 HYPOCHLORITE SOLUTION, 8, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 1791 HYPOCHLORITE SOLUTION, 8, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1791 Hypochlorite solution, 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1791 HYPOCHLORITE SOLUTION, 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1791 HYPOCHLORITE SOLUTION, 8, III, ENVIRONMENTALLY HAZARDOUS		
14.3. Transport hazard o	class(es)					
8	8	8	8	8		
B C C C C C C C C C C C C C C C C C C C	B C C C C C C C C C C C C C C C C C C C			B		
14.4. Packing group	· · · · · ·					
III	III	III	111	III		
14.5. Environmental haz	ards					
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes		

### 14.6. Special precautions for user

#### **Overland transport** : C9 Classification code (ADR) : 521 Special provisions (ADR) : 51 Limited quantities (ADR) Excepted quantities (ADR) : E1 : P001, IBC02, LP01, R001 Packing instructions (ADR) Special packing provisions (ADR) : B5 Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T4

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container special provisions       :       TP2, TP24         (ADR)       :       L4BV(+)         Tank code (ADR)       :       TU42, TE11         Vehicle for tank carriage       :       AT         Transport category (ADR)       :       3         Hazard identification number (Kemler No.)       :       80         Orange plates       : <b>80</b> Tunnel restriction code (ADR)       :       E         EAC code       :       2X <b>Transport sea</b> :       223         Packing instructions (IMDG)       :       223         Packing instructions (IMDG)       :       1001, LP01         IBC packing instructions (IMDG)       :       1792, TP24         EmS-No. (Fire)       :       F-A         EmS-No. (Fire)       :       S-B         Stowage category (IMDG)       :       SG20         Properties and observations (IMDG)       :       SG20         Properties and observations (IMDG)       :       Liquid with choirine odour. In contact with acids, evolves very irritating and correct	
Tank code (ADR): L4BV(+)Tank special provisions (ADR): TU42, TE11Vehicle for tank carriage: ATTransport category (ADR): 3Hazard identification number (Kemler No.): 80Orange plates:Tunnel restriction code (ADR): EEAC code: 2XTransport by seaSpecial provisions (IMDG): 223Packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): T4Tank special provisions (IMDG): S-BStowage category (IMDG): S620Properties and observations (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and corror Wildy corrosive to most metals. Causes burns to skin, eyes and mucous member	
Tank special provisions (ADR): TU42, TE11Vehicle for tank carriage: ATTransport category (ADR): 3Hazard identification number (Kemler No.): 80Orange plates: 80Tunnel restriction code (ADR): EEAC code: 2XTransport by sea: 223Special provisions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): T4Tank special provisions (IMDG): SBStowage category (IMDG): SBStowage category (IMDG): SBStowage category (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and corror Wildy corrosive to most metals. Causes burns to skin, eyes and mucous member	
Vehicle for tank carriage: ATTransport category (ADR): 3Hazard identification number (Kemler No.): 80Orange plates: 80Tunnel restriction code (ADR): EEAC code: 2XTransport by seaSpecial provisions (IMDG): 223Packing instructions (IMDG): BC03Tank special provisions (IMDG): T4Tank special provisions (IMDG): T2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): SB2Stowage category (IMDG): BSegregation (IMDG): BSegregation (IMDG): G20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and correct Mildly corrosive to most metals. Causes burns to skin, eyes and mucous member	
Transport category (ADR): 3Hazard identification number (Kemler No.): 80Orange plates: 80Tunnel restriction code (ADR): EEAC code: 2XTransport by sea: 223Packing instructions (IMDG): P001, LP01IBC packing instructions (IMDG): IBC03Tank special provisions (IMDG): T4Tank special provisions (IMDG): F2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and correct Wildly corrosive to most metals. Causes burns to skin, eyes and mucous member	
Hazard identification number (Kemler No.)       :       80         Orange plates       :       80         Tunnel restriction code (ADR)       :       E         EAC code       :       2X         Transport by sea       :       233         Special provisions (IMDG)       :       223         Packing instructions (IMDG)       :       1001, LP01         IBC packing instructions (IMDG)       :       1003         Tank special provisions (IMDG)       :       1003         Tank special provisions (IMDG)       :       1003         Tank special provisions (IMDG)       :       179, TP24         EmS-No. (Fire)       :       F-A         EmS-No. (Spillage)       :       S-B         Stowage category (IMDG)       :       B         Segregation (IMDG)       :       SG20         Properties and observations (IMDG)       :       Liquid with chlorine odour. In contact with acids, evolves very irritating and correction of models. Causes burns to skin, eyes and mucous member of models. Causes burns to skin, eyes and mucous member of models. Causes burns to skin, eyes and mucous member of models. Causes burns to skin, eyes and mucous member of models.	
Orange plates       :       80         1791       .       .         Tunnel restriction code (ADR)       :       E         EAC code       :       2X         Transport by sea       .       .         Special provisions (IMDG)       :       223         Packing instructions (IMDG)       :       P001, LP01         IBC packing instructions (IMDG)       :       BC03         Tank special provisions (IMDG)       :       14         Tank special provisions (IMDG)       :       T4         Tank special provisions (IMDG)       :       F-A         EmS-No. (Fire)       :       S-B         Stowage category (IMDG)       :       B         Segregation (IMDG)       :       SG20         Properties and observations (IMDG)       :       Liquid with chlorine odour. In contact with acids, evolves very irritating and correction with acids and mucous member of the stand baservations (IMDG)       :         Liquid with chlorine odour. In contact with acids, evolves very irritating and correction with acids, evolves very irritating and correction with acids and mucous member of the stand baservations (IMDG)       : <td></td>	
80         1791         Tunnel restriction code (ADR)       :         EAC code       :         Transport by sea       :         Special provisions (IMDG)       :         Packing instructions (IMDG)       :         IBC segregation (IMDG)       :         Tank special provisions (IMDG)       :         IBS-No. (Spillage)       :         Stowage category (IMDG)       :         Segregation (IMDG)       :         Liquid with chlorine odour. In contact with acids, evolves very irritating and correr Mildly corrosive to most metals.	
Tunnel restriction code (ADR): EEAC code: 2XTransport by sea: 2X3Special provisions (IMDG): 223Packing instructions (IMDG): P001, LP01IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): BSegregation (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and correct wildly corrosive to most metals. Causes burns to skin, eyes and mucous member	
EAC code: 2XTransport by sea:Special provisions (IMDG): 223Packing instructions (IMDG): P001, LP01IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and correct Mildly corrosive to most metals. Causes burns to skin, eyes and mucous member	
EAC code: 2XTransport by sea:Special provisions (IMDG): 223Packing instructions (IMDG): P001, LP01IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and correct Mildly corrosive to most metals. Causes burns to skin, eyes and mucous member	
Transport by seaSpecial provisions (IMDG): 223Packing instructions (IMDG): P001, LP01IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and correct Mildly corrosive to most metals. Causes burns to skin, eyes and mucous member	
Special provisions (IMDG): 223Packing instructions (IMDG): P001, LP01IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): BSegregation (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and corror Mildly corrosive to most metals. Causes burns to skin, eyes and mucous member	
Packing instructions (IMDG): P001, LP01IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): BSegregation (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and corror Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membra	
IBC packing instructions (IMDG): IBC03Tank instructions (IMDG): T4Tank special provisions (IMDG): TP2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): BSegregation (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and corror Mildly corrosive to most metals. Causes burns to skin, eyes and mucous member	
Tank instructions (IMDG): T4Tank special provisions (IMDG): TP2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): BSegregation (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and corror Mildly corrosive to most metals. Causes burns to skin, eyes and mucous member	
Tank special provisions (IMDG): TP2, TP24EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): BSegregation (IMDG): SG20Properties and observations (IMDG): Liquid with chlorine odour. In contact with acids, evolves very irritating and corror Mildly corrosive to most metals. Causes burns to skin, eyes and mucous member	
EmS-No. (Fire):F-AEmS-No. (Spillage):S-BStowage category (IMDG):BSegregation (IMDG):SG20Properties and observations (IMDG):Liquid with chlorine odour. In contact with acids, evolves very irritating and corror Mildly corrosive to most metals. Causes burns to skin, eyes and mucous memb	
EmS-No. (Spillage)       :       S-B         Stowage category (IMDG)       :       B         Segregation (IMDG)       :       SG20         Properties and observations (IMDG)       :       Liquid with chlorine odour. In contact with acids, evolves very irritating and corror Mildly corrosive to most metals. Causes burns to skin, eyes and mucous memb	
Stowage category (IMDG)       : B         Segregation (IMDG)       : SG20         Properties and observations (IMDG)       : Liquid with chlorine odour. In contact with acids, evolves very irritating and corro         Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membra	
Segregation (IMDG)       : SG20         Properties and observations (IMDG)       : Liquid with chlorine odour. In contact with acids, evolves very irritating and correct Mildly corrosive to most metals. Causes burns to skin, eyes and mucous members of the second	
Properties and observations (IMDG) : Liquid with chlorine odour. In contact with acids, evolves very irritating and corro Mildly corrosive to most metals. Causes burns to skin, eyes and mucous memb	
Mildly corrosive to most metals. Causes burns to skin, eyes and mucous memb	osive dases
	anoo.
Air transport PCA Excepted quantities (IATA) : E1	
PCA Limited quantities (IATA) : Y841	
PCA limited quantity max net quantity (IATA) : 1L	
PCA minuted quantity maxime quantity (ATA) : 12 PCA packing instructions (IATA) : 852	
PCA packing instructions (IATA) 502 PCA max net quantity (IATA) 5L	
CAO packing instructions (IATA) : 856	
CAO max net quantity (IATA) : 60L	
Special provisions (IATA) : A3, A803	
ERG code (IATA) : 8L	
Inland waterway transport	
Classification code (ADN) : C9	
Special provisions (ADN) : 521	
Limited quantities (ADN) : 5 L	
Excepted quantities (ADN) : E1	
Equipment required (ADN) : PP, EP	
Number of blue cones/lights (ADN) : 0	
Rail transport	
Classification code (RID) : C9	
Special provisions (RID) : 521	
Limited quantities (RID) : 5L	
Excepted quantities (RID) : E1	
Packing instructions (RID) : P001, IBC02, LP01, R001	
Special packing provisions (RID) : B5	
Mixed packing provisions (RID) : MP19	
Portable tank and bulk container instructions (RID) : T4	
Portable tank and bulk container special provisions : TP2, TP24	
(RID)	
Tank codes for RID tanks (RID)   : L4BV(+)	
Special provisions for RID tanks (RID) : TE11, TU42	
Transport category (RID) : 3	
Colis express (express parcels) (RID) : CE8	
Hazard identification number (RID) : 80	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

**15.2. Chemical safety assessment** 

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

#### Abbreviations and acronyms:

Appreviations and acro	nyms.
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
EUH031		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.