

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 26/03/2015 Revision date: 19/08/2021 Supersedes version of: 10/07/2020 Version: 10.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: Cleanline Detectable Beerline Cleaner Product name

UFI : A7K8-E02C-A00S-P64U

Product code : CL1076

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Cleaning Product

1.2.2. Uses advised against

Restrictions on use : Anything other than intended use as listed on the label.

1.3. Details of the supplier of the safety data sheet

Supplier Supplier Prime Source Prime Source PO Box 15247 Unit D9

Birmingham Horizon Logistics Park

B23 3HN Co. Dublin UK K67 N4T2 Tel: 08085 749312 Ireland

E-mail: info@prime-source.co.uk Tel: +353 (0)1 630 1800

Email: info@prime-source.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0) 1865 407 333

24 hour - Medical Emergency Only

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314 Serious eye damage/eye irritation, Category 1 H318 Hazardous to the aquatic environment — Acute Hazard, Category 1 H400 Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

GHS09

Signal word (CLP) : Danger

Contains : sodium hydroxide; caustic soda; sodium hypochlorite, solution... % Cl active

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.

P391 - Collect spillage.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hypochlorite, solution % Cl active	(CAS-No.) 7681-52-9 (EC-No.) 231-668-3 (EC Index-No.) 017-011-00-1 (REACH-no) 01-2119488154-34	≥ 1 – < 10	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	≥ 1 - < 10	Skin Corr. 1A, H314
potassium permanganate	(CAS-No.) 7722-64-7 (EC-No.) 231-760-3 (EC Index-No.) 025-002-00-9 (REACH-no) 01-2119480139-34	<1	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Repr. 2, H361d STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
sodium hypochlorite, solution % Cl active	(CAS-No.) 7681-52-9 (EC-No.) 231-668-3 (EC Index-No.) 017-011-00-1 (REACH-no) 01-2119488154-34	(5 ≤C ≤ 100) EUH031	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2	(0.5 ≤C < 2) Skin Irrit. 2, H315
	(EC-No.) 215-185-5	(0.5 ≤C < 2) Eye Irrit. 2, H319
	(EC Index-No.) 011-002-00-6	(2 ≤C < 5) Skin Corr. 1B, H314
	(REACH-no) 01-2119457892-27	(5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

19/08/2021 (Version: 10.1) GB - en 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products : Oxidizing agent. Strong bases. Strong acids.

Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

sodium hydroxide; caustic soda (1310-73-2)		
Ireland - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL (15 min ref) (mg/m3)	2 mg/m³	
Regulatory reference	Chemical Agents Code of Practice 2020	
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (mg/m³)	2 mg/m³	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

Eye protection:

Safety glasses. Use eye protection according to EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not required under normal conditions of use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment symbol(s):





Environmental exposure controls:

Avoid release to the environment.

Other information:

A risk assessment should be carried out prior to use to determine the exposure risk to the chemical. Specific work environments and material handling practices may vary; therefore, safety procedures should be developed and PPE selected for each intended application. Consultation with PPE supplier/manufacturer will help determine suitability as protection time cannot be accurately estimated for mixtures (such as glove breakthrough time). PPE should be worn to prevent any contact with the chemical. Any contaminated clothing should be washed prior to re-use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Purple.
Odour : Hypochlorite.
Odour threshold : No data available

pH : > 11.5

Relative evaporation rate (butylacetate=1) : No data available : Not applicable Melting point Freezing point : No data available Boiling point : No data available : No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available 109 – 111 Density Solubility : No data available Partition coefficient n-octanol/water (Log Pow) · No data available : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties

9.2. Other information

Explosive limits

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

: No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

potassium permanganate (7722-64-7)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal))	

sodium hypochlorite, solution… % Cl active (7681-52-9)		
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal	
	Toxicity), Guideline: other:16 CFR 1500.40	

Skin corrosion/irritation : Causes severe skin burns.

pH: > 11.5

Serious eye damage/irritation : Causes serious eye damage.

pH: > 11.5 Not classifie

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

potassium permanganate (7722-64-7)		
NOAEL (oral, rat, 90 days)	40 mg/kg bodyweight Animal: rat, Guideline: EU Method B.7 (Repeated Dose (28 Days Toxicity (Oral))	
NOAEL (dermal, rat/rabbit, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)	

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

19/08/2021 (Version: 10.1) GB - en 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

potassium permanganate (7722-64-7)		
LC50 fish 1 0.47 mg/l Test organisms (species): Poecilia reticulata		
EC50 Daphnia 1	0.06 mg/l Test organisms (species): Daphnia magna	

sodium hydroxide; caustic soda (1310-73-2)	
EC50 Daphnia 1	40.4 mg/l Test organisms (species): Ceriodaphnia sp.

sodium hypochlorite, solution % CI active (7681-52-9)			
EC50 Daphnia 1	141 μg/l Test organisms (species): Daphnia magna		
EC50 Daphnia 2	35 μg/l Test organisms (species): Ceriodaphnia dubia		
EC50 72h algae (1)	0.0365 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
EC50 72h algae (2)	0.0183 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

European List of Waste (LoW) code

Waste treatment methods

Product/Packaging disposal recommendations

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Wash packaging with a suitable cleaner (water) before recycling. Otherwise dispose of as contaminated packaging. Always dispose of packaging in accordance with local regulations.
- 20 01 29* detergents containing dangerous substances

15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1719	UN 1719	UN 1719	UN 1719	UN 1719

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name


CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution... % Cl active; sodium hydroxide; caustic soda) CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution... % CI active; sodium hydroxide; caustic soda) Caustic alkali liquid, n.o.s. (sodium hypochlorite, solution... % Cl active; sodium hydroxide; caustic soda) CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution... % CI active; sodium hydroxide; caustic soda) CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution... % Cl active; sodium hydroxide; caustic soda)

Transport document description

UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution... % Cl active; sodium hydroxide; caustic soda), 8, II, (E), ENVIRONMENTALLY HAZARDOUS

UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution... % Cl active; sodium hydroxide; caustic soda), 8, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS UN 1719 Caustic alkali liquid, n.o.s. (sodium hypochlorite, solution... % Cl active; sodium hydroxide; caustic soda), 8, II, ENVIRONMENTALLY HAZARDOUS UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution... % Cl active; sodium hydroxide; caustic soda), 8, II, ENVIRONMENTALLY HAZARDOUS UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (sodium hypochlorite, solution... % CI active; sodium hydroxide; caustic soda), 8, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)





8



8



8



8

14.4. Packing group

Dangerous for the environment: Yes

Dangerous for the environment: Yes Marine pollutant: Yes

Ш

Dangerous for the environment: Yes

Ш

Dangerous for the environment: Yes

Ш

Dangerous for the environment: Yes

П

No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C5
Special provisions (ADR) : 274
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15

Portable tank and bulk container instructions (ADR) : T11
Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Orange plates :

80 1719

Tunnel restriction code (ADR) : E EAC code : 2R

Transport by sea

Special provisions (IMDG) : 274
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank special provisions (IMDG) : TP2, TP27
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A

Segregation (IMDG) : SG22, SG35

Properties and observations (IMDG) : Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. Causes

burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) · F2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C5
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C5 Special provisions (RID) : 274 Limited quantities (RID) : 1L Excepted quantities (RID) : E2 Packing instructions (RID) : P001, IBC02 : MP15 Mixed packing provisions (RID) Portable tank and bulk container instructions (RID) : T11 Portable tank and bulk container special provisions : TP2, TP27

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
EUH031		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Ox. Sol. 2	Oxidising Solids, Category 2	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Corr. 1BSkin corrosion/irritation, Category 1, Sub-Category 1BSkin Corr. 1CSkin corrosion/irritation, Category 2Skin Irrit. 2Skin corrosion/irritation, Category 2STOT RE 2Specific target organ toxicity — Repeated exposure, Category 2H272May intensify fire; oxidiser.H302Harmful if swallowed.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H318Causes serious eye damage.H319Causes serious eye irritation.H361dSuspected of damaging the unborn child.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.		
Skin Irrit. 2 Skin corrosion/irritation, Category 2 STOT RE 2 Specific target organ toxicity — Repeated exposure, Category 2 H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
STOT RE 2 Specific target organ toxicity — Repeated exposure, Category 2 H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H272	May intensify fire; oxidiser.
H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H302	Harmful if swallowed.
H318 Causes serious eye damage. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H314	Causes severe skin burns and eye damage.
H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H315	Causes skin irritation.
H361d Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H318	Causes serious eye damage.
H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H319	Causes serious eye irritation.
H400 Very toxic to aquatic life.	H361d	Suspected of damaging the unborn child.
	H373	May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.