




# Product Specification – Religrip Elasticated Tubular Bandage

## Product Information

<b>REF:</b>	461/462/463/464/465/466/467 471/472/473/474/475/476/477
<b>Description:</b>	Religrip Elasticated Tubular Bandage 10m/ 1m (Size: A, B, C, D, E, F, G)
<b>Manufacturer:</b>	Reliance Medical LTD
<b>Country of origin</b>	China
<b>Commodity code</b>	3005901000
<b>Address:</b>	West Avenue, Talke, Stoke-on-Trent, Staffordshire, ST7 1TL, United Kingdom.
<b>Licensed Markets:</b>	UK
<b>Characteristic:</b>	Supportive, comfortable, radial bandage. Ideal for soft tissue injuries, dislocations and sprains. Natural colour for general use. Range of sizes for all parts of the body. Ten metres in dispenser box.
<b>Indications:</b>	Wrap bandage around limb for support and protection.
<b>Main Materials:</b>	Cotton, Rubber.
<b>Storage Conditions:</b>	Store in a cool, dry place.



*The information contained in this product specification is accurate for the above revision date. However, components are subject to change without notice, when another specification will be issued.*



## Barcode Information

REF	UNIT	QUANTITY	BARCODE	DIMENSIONS	WEIGHT
461	Single	Single	5060131884615	170mmH x 55mmW x 170mmD	262.5g
	Case	Case of 32	15060131884612	430mmH x 350mmW x 350mmD	10.5kg
462	Single	Single	5060131884622	170mmH x 70mmW x 170mmD	437.5g
	Case	Case of 24	15060131884629	430mmH x 350mmW x 350mmD	10.5kg
463	Single	Single	5060131884639	170mmH x 80mmW x 170mmD	525g
	Case	Case of 20	15060131884636	430mmH x 350mmW x 350mmD	10.5kg
464	Single	Single	5060131884646	170mmH x 85mmW x 170mmD	525g
	Case	Case of 20	15060131884643	430mmH x 350mmW x 350mmD	10.5kg
465	Single	Single	5060131884653	170mmH x 100mmW x 170mmD	600g
	Case	Case of 20	15060131884650	500mmH x 350mmW x 350mmD	12kg
466	Single	Single	5060131884660	170mmH x 110mmW x 170mmD	625g
	Case	Case of 20	15060131884660	560mmH x 350mmW x 350mmD	12.5kg
467	Single	Single	5060131884667	175mmH x 170mmW x 130mmD	775g
	Case	Case of 20	15060131884674	670mmH x 350mmW x 350mmD	15.5kg
471	Single	Single	5060131884714	150mmH x 100mmW x 35mmD	26g
	Pack	Pack of 10	05060131884714	340mmH x 220mmW x 30mmD	570g
	Case	Case of 200	15060131884714	500mmH x 340mmW x 35mmD	
472	Single	Single	5060131884721	120mmH x 80mmW x 30mmD	40g
	Pack	Pack of 10	05060131884721	320mmH x 220mmW x 60mmD	400g
	Case	Case of 200	15060131884721	500mmH x 340mmW x 350mmD	8.6kg
473	Single	Single	5060131884738	150mmH x 100mmW x 35mmD	55g
	Pack	Pack of 10	05060131884738	270mmH x 280mmW x 20mmD	550g
	Case	Case of 200	15060131884735	500mmH x 340mmW x 35mmD	11kg
474	Single	Single	5060131884745	150mmH x 100mmW x 35mmD	55g
	Pack	Pack of 10	05060131884745	300mmH x 200mmW x 50mmD	550g
	Case	Case of 200	15060131884742	500mmH x 340mmW x 35mmD	11kg
475	Single	Single	5060131884752	150mmH x 100mmW x 35mmD	55g
	Pack	Pack of 10	05060131884752	300mmH x 190mmW x 50mmD	550g

*The information contained in this product specification is accurate for the above revision date. However, components are subject to change without notice, when another specification will be issued.*



	Case	Case of 200	15060131884759	480mmH x 440mmW x 35mmD	11kg
476	Single	Single	5060131884769	150mmH x 100mmW x 35mmD	53
	Pack	Pack of 10	05060131884769	300mmH x 190mmW x 50mmD	570
	Case	Case of 200	15060131884769	480mmH x 440mmW x 35mmD	
477	Single	Single	5060131884776	150mmH x 100mmW x 35mmD	
	Pack	Pack of 10	05060131884776	300mmH x 190mmW x 50mmD	
	Case	Case of 200	15060131884776	480mmH x 440mmW x 35mmD	

## Additional Information

CHARACTERISTIC	SPECIFICATION						
	461	462	463	464	465	466	467
Size Ref	A	B	C	D	E	F	G
Size	4.5cm x 10m	6.25cm x 10m	6.75cm x 10m	7.5cm x 10m	8.75cm x 10m	10cm x 10m	12cm x 10m
Weight (gsm)	75±5						
Length (m)	≥10						

CHARACTERISTIC	SPECIFICATION						
	471	472	473	474	475	476	477
Size Ref	B	B	C	D	E	F	G
Size	6.25cm x 1m	6.25cm x 1m	6.75cm x 1m	7.5cm x 1m	8.75cm x 1m	10cm x 1m	12cm x 1m
Weight (gsm)	75±5						
Length (m)	≥1						

*The information contained in this product specification is accurate for the above revision date. However, components are subject to change without notice, when another specification will be issued.*