



TASKI Jontec Eternum F2e

Revision: 2022-12-01

Version: 10.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Jontec Eternum F2e

UFI: X6WH-E1SC-100V-SW1U

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor polish/impregnating agent.
For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_10_2
AISE_SWED_PW_19_2

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands
Tel: 01 8081808 (9am - 5pm Mon-Fri)
Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).
National Poisons Information Centre
Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)
Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Sens. 1 (H317)
Aquatic Chronic 3 (H412)

2.2 Label elements



Signal word: Warning.

Contains 2-methyl-2H-isothiazol-3-one (Methylisothiazolinone), 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) (Methylchloroisothiazolinone, Methylisothiazolinone), 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone)

Hazard statements:

H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P280 - Wear protective gloves.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
(2-methoxymethylethoxy)propanol	252-104-2	34590-94-8	01-2119450011-60	Not classified as hazardous		3-10
zinc oxide	215-222-5	1314-13-2	01-2119463881-32	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		0.1-1
ammonia	215-647-6	1336-21-6	01-2119488876-14	Skin Corr. 1B (H314) STOT SE 3 (H335) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		0.1-1
2-methyl-2H-isothiazol-3-one	220-239-6	2682-20-4	[6]	Acute Tox. 2 (H330) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 M=10 (H400) Aquatic Chronic 1 (H410)		< 0.01
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	220-239-6 247-500-7	55965-84-9	[6]	Acute Tox. 2 (H310) Acute Tox. 2 (H330) Acute Tox. 3 (H301) Skin Corr. 1C (H314) EUH071 Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 M=100 (H400) Aquatic Chronic 1 M=100 (H410)		< 0.01

Specific concentration limits

2-methyl-2H-isothiazol-3-one:

- Skin Sens. 1 (H317) >= 0.0015%

5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1):

- Skin Sens. 1 (H317) >= 0.0015%
- Eye Dam. 1 (H318) >= 0.6% > Eye Irrit. 2 (H319) >= 0.06%
- Skin Corr. 1C (H314) >= 0.6% > Skin Irrit. 2 (H315) >= 0.06%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident.

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

May cause an allergic skin reaction.

Eye contact:

No known effects or symptoms in normal use.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Take off contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with skin. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
(2-methoxymethylethoxy)propanol	50 ppm 308 mg/m ³	150 ppm 924 mg/m ³
zinc oxide	2 mg/m ³ fume; respirable fraction	10 mg/m ³ fume; respirable fraction
ammonia	20 ppm 14 mg/m ³	50 ppm 36 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

TASKI Jontec Eternum F2e

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	36
zinc oxide	-	-	-	0.83
ammonia	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	0.027
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
(2-methoxymethylethoxy)propanol	No data available	-	No data available	283
zinc oxide	No data available	-	No data available	83
ammonia	No data available	6.8	No data available	6.8
2-methyl-2H-isothiazol-3-one	-	-	-	-
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
(2-methoxymethylethoxy)propanol	No data available	-	No data available	15
zinc oxide	No data available	-	No data available	83
ammonia	No data available	-	No data available	-
2-methyl-2H-isothiazol-3-one	-	-	-	-
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	308
zinc oxide	-	-	-	5
ammonia	36	47.6	14	47.6
2-methyl-2H-isothiazol-3-one	-	-	-	-
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	37.2
zinc oxide	-	-	-	2.5
ammonia	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
(2-methoxymethylethoxy)propanol	19	1.9	190	4168
zinc oxide	0.0206	0.0061	-	0.052
ammonia	0.0011	0.011	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
(2-methoxymethylethoxy)propanol	70.2	7.02	2.74	190
zinc oxide	117.8	0.0565	0.0356	-
ammonia	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and	-	-	-	-

TASKI Jontec Eternum F2e

2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_2	PW	PROC 10	480	ERC8a
Manual application	AISE_SWED_PW_19_2	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
 Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
 Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
 In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical state: Liquid	
Colour: Milky , White	
Odour: No Odor/Odorless	
Odour threshold: Not applicable	
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
(2-methoxymethylethoxy)propanol	189.6	Method not given	1013
zinc oxide	No data available		
ammonia	28.5	Method not given	
2-methyl-2H-isothiazol-3-one	No data available		
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available		

	Method / remark
Flammability (solid, gas): Not applicable to liquids	
Flammability (liquid): Not flammable.	
Flash point (°C): > 100 °C	closed cup
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Lower and upper explosion limit/flammability limit (%): Not determined	See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit	Upper limit

TASKI Jontec Eternum F2e

	(% vol)	(% vol)
(2-methoxymethylethoxy)propanol	1.1	14
ammonia	15.4	33.6

Method / remark

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
pH: ≈ 9 (neat)
Kinematic viscosity: Not determined
Solubility in / Miscibility with water: Fully miscible

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
(2-methoxymethylethoxy)propanol	Soluble	Method not given	20
zinc oxide	Insoluble		
ammonia	100 Soluble	Method not given	20
2-methyl-2H-isothiazol-3-one	No data available		
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
(2-methoxymethylethoxy)propanol	5500	Method not given	20
zinc oxide	No data available		
ammonia	586500	Method not given	20
2-methyl-2H-isothiazol-3-one	No data available		
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available		

Method / remark

Relative density: ≈ 1.04 (20 °C)

OECD 109 (EU A.3)

Relative vapour density: No data available.

Not relevant to classification of this product

Particle characteristics: No data available.

Not applicable to liquids.

9.2 Other information**9.2.1 Information with regard to physical hazard classes****Explosive properties:** Not explosive.**Oxidising properties:** Not oxidising.**Corrosion to metals:** Not corrosive**9.2.2 Other safety characteristics**

No other relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
(2-methoxymethylethoxy)propanol	LD ₅₀	> 5000	Rat	OECD 401 (EU B.1)		Not established
zinc oxide	LD ₅₀	> 5000	Rat	Method not given		Not established
ammonia	LD ₅₀	350	Rat	Method not given		Not established
2-methyl-2H-isothiazol-3-one	LD ₅₀	120	Rat	OECD 401 (EU B.1)		2.3e+006
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	LD ₅₀	64	Rat	Method not given		4.7e+006

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
(2-methoxymethylethoxy)propanol	LD ₅₀	9510	Rabbit	Method not given		Not established
zinc oxide		No data available				Not established
ammonia		No data available				Not established
2-methyl-2H-isothiazol-3-one	LD ₅₀	242	Rat	OECD 402 (EU B.3)	24 hours	5.6e+006
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	LD ₅₀	87.12	Rabbit	Method not given		3.7e+006

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	LC ₀	> 1.667 (vapour) No mortality observed	Rat		7
zinc oxide		No data available			
ammonia	LC ₅₀	7.035	Rat	Method not given	0.5
2-methyl-2H-isothiazol-3-one	LC ₅₀	(mist) 0.11	Rat	OECD 403 (EU B.2)	4 hours
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	LC ₅₀	0.33	Rat		

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
(2-methoxymethylethoxy)propanol	Not established	Not established	Not established	Not established
zinc oxide	Not established	Not established	Not established	Not established
ammonia	Not established	Not established	Not established	Not established
2-methyl-2H-isothiazol-3-one	Not established	10000	Not established	Not established
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	Not established	14000	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	Not irritant		Method not given	
zinc oxide	No data available			
ammonia	Corrosive		Method not given	
2-methyl-2H-isothiazol-3-one	Corrosive			
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
---------------	--------	---------	--------	---------------

TASKI Jontec Eternum F2e

(2-methoxymethylethoxy)propanol	Not corrosive or irritant		Method not given	
zinc oxide	No data available			
ammonia	Severe damage		Method not given	
2-methyl-2H-isothiazol-3-one	No data available			
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	No data available			
zinc oxide	No data available			
ammonia	Irritating to respiratory tract		Method not given	
2-methyl-2H-isothiazol-3-one	No data available			
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	Not sensitising		Method not given	
zinc oxide	No data available			
ammonia	Not sensitising		Method not given	
2-methyl-2H-isothiazol-3-one	Sensitising	Guinea pig		
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	Sensitising	Guinea pig	Method not given OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	No data available			
zinc oxide	No data available			
ammonia	No data available			
2-methyl-2H-isothiazol-3-one	No data available			
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
(2-methoxymethylethoxy)propanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
zinc oxide	No data available		No data available	
ammonia	No evidence for mutagenicity		No evidence for mutagenicity	
2-methyl-2H-isothiazol-3-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No evidence for mutagenicity	Method not given	No data available	

Carcinogenicity

Ingredient(s)	Effect
(2-methoxymethylethoxy)propanol	No evidence for carcinogenicity, negative test results
zinc oxide	No data available
ammonia	No data available
2-methyl-2H-isothiazol-3-one	No data available
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
(2-methoxymethylethoxy)propanol			No data available				No evidence for reproductive toxicity
zinc oxide			No data available				
ammonia			No data available				No evidence for reproductive toxicity
2-methyl-2H-isothiazol-			No data				

TASKI Jontec Eternum F2e

3-one			available				
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)			No data available				No evidence for reproductive toxicity No evidence for teratogenic effects

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
zinc oxide		No data available				
ammonia	NOAEL	68		Method not given		
2-methyl-2H-isothiazol-3-one		No data available				
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
zinc oxide		No data available				
ammonia		No data available				
2-methyl-2H-isothiazol-3-one		No data available				
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
zinc oxide		No data available				
ammonia		No data available				
2-methyl-2H-isothiazol-3-one		No data available				
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
(2-methoxymethylethoxy)propanol			No data available					
zinc oxide			No data available					
ammonia			No data available					
2-methyl-2H-isothiazol-3-one			No data available					
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
(2-methoxymethylethoxy)propanol	No data available
zinc oxide	No data available
ammonia	No data available
2-methyl-2H-isothiazol-3-one	No data available

5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available
--	-------------------

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
(2-methoxymethylethoxy)propanol	No data available
zinc oxide	No data available
ammonia	No data available
2-methyl-2H-isothiazol-3-one	No data available
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	LC ₅₀	> 1000	<i>Poecilia reticulata</i>	Method not given	96
zinc oxide	LC ₅₀	0.169	<i>Oncorhynchus mykiss</i>	Read across	96
ammonia	LC ₅₀	0.56 - 2.48	<i>Fish</i>	Method not given	96
2-methyl-2H-isothiazol-3-one	LC ₅₀	4.77	<i>Oncorhynchus mykiss</i>	Similar to OECD 203	96
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	LC ₅₀	0.28	<i>Lepomis macrochirus</i>	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	EC ₅₀	1919	<i>Daphnia magna</i> Straus	Method not given	48
zinc oxide	EC ₅₀	0.860	<i>Daphnia magna</i> Straus	Read across	48
ammonia	EC ₅₀	1.1 - 22.8	<i>Daphnia magna</i> Straus	Method not given	
2-methyl-2H-isothiazol-3-one	LC ₅₀	0.93-1.9	<i>Daphnia magna</i> Straus	Method not given	48
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	EC ₅₀	0.126	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	EC ₅₀	> 969	<i>Selenastrum capricornutum</i>	Method not given	72
zinc oxide	EC ₅₀	0.17	<i>Desmodesmus subspicatus</i>	Method not given	72
ammonia		No data available			
2-methyl-2H-isothiazol-3-one	EC ₅₀	0.158	<i>Selenastrum capricornutum</i>	Method not given	72

TASKI Jontec Eternum F2e

5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	EC ₅₀	0.003	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
--	------------------	-------	--	-------------------	----

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
(2-methoxymethylethoxy)propanol		No data available			
zinc oxide		No data available			
ammonia		No data available			
2-methyl-2H-isothiazol-3-one		No data available			
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
(2-methoxymethylethoxy)propanol	EC ₁₀	4168	<i>Pseudomonas putida</i>	Method not given	
zinc oxide		No data available			
ammonia		No data available			
2-methyl-2H-isothiazol-3-one	EC ₂₀	2.8	<i>Activated sludge</i>	OECD 209	3 hour(s)
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	EC ₂₀	0.97	<i>Activated sludge</i>	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
(2-methoxymethylethoxy)propanol		No data available				
zinc oxide		No data available				
ammonia		No data available				
2-methyl-2H-isothiazol-3-one		No data available				
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
(2-methoxymethylethoxy)propanol	NOEC	> 0.5	<i>Daphnia magna</i>	Method not given	22 day(s)	
zinc oxide	NOEC	0.4	<i>Daphnia magna</i>	Method not given	48 hour(s)	
ammonia		No data available				
2-methyl-2H-isothiazol-3-one		No data available				
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
(2-methoxymethylethoxy)propanol		No data available				
zinc oxide		No data available				
ammonia		No data available				
2-methyl-2H-isothiazol-3-one		No data available				
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

TASKI Jontec Eternum F2e

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	< 1 day(s)	Method not given	Rapidly photodegradable	
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
(2-methoxymethylethoxy)propanol		Oxygen depletion	75 % in 28 day(s)	OECD 301F	Readily biodegradable
zinc oxide					Not applicable (inorganic substance)

TASKI Jontec Eternum F2e

ammonia					Not applicable (inorganic substance)
2-methyl-2H-isothiazol-3-one				Other	Readily biodegradable
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)		Oxygen depletion	> 60%	OECD 301D	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
2-methyl-2H-isothiazol-3-one	Surface water (fresh)	Mineralisation rate	> 50 % in 4 day(s)	OECD 309	Biodegradable
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	1.01	Method not given	Low potential for bioaccumulation	
zinc oxide	No data available			
ammonia	0.23	Method not given	No bioaccumulation expected	
2-methyl-2H-isothiazol-3-one	-0.32	OECD 107	No bioaccumulation expected	
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	-0.71 - +0.75	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	No data available				
zinc oxide	No data available				
ammonia	No data available				
2-methyl-2H-isothiazol-3-one	3.16		OECD 305		
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
(2-methoxymethylethoxy)propanol	No data available				High potential for mobility in soil
zinc oxide	No data available				
ammonia	No data available				Low mobility in soil
2-methyl-2H-isothiazol-3-one	No data available				
5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

TASKI Jontec Eternum F2e

13.1 Waste treatment methods**Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

16 03 05* - organic wastes containing dangerous substances.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS4848

Version: 10.0

Revision: 2022-12-01

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 3, 8, 9, 11, 12, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H301 - Toxic if swallowed.
- H310 - Fatal in contact with skin.
- H311 - Toxic in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H330 - Fatal if inhaled.

TASKI Jontec Eternum F2e

- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.
- EUH071 - Corrosive to the respiratory tract.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet