

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Taski Jontec Tensol J-flex F3d

Revision: 2022-12-21 **Version:** 05.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Taski Jontec Tensol J-flex F3d

UFI: AY55-S0RC-V00T-YG2R

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor cleaner.

For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_2 AISE_SWED_PW_8b_2 AISE_SWED_PW_4_1 AISE_SWED_PW_10_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flam. Liq. 3 (H226) STOT SE 3 (H336) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains propan-2-ol (Isopropyl Alcohol)

Hazard statements:

H315 + H319 - Causes skin and serious eye irritation.

H226 - Flammable liquid and vapour.

H336 - May cause drowsiness or dizziness.

Precautionary statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P403 + P235 - Store in a well-ventilated place. Keep cool.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
propan-2-ol	200-661-7	67-63-0	01-2119457558-25	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)		20-30
alkyl alcohol alkoxylate	[4]	111905-53-4	[4]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)		20-30
ethanediol	203-473-3	107-21-1	01-2119456816-28	Acute Tox. 4 (H302) STOT RE 2 (H373)		3-10

Specific concentration limits

propan-2-ol:

Workplace exposure limit(s), if available, are listed in subsection 8.1.

- [1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required. [2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.
- [3] Exempted: Annex V of Regulation (EC) No 1907/2006.
- [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

ATE, if available, are listed in section 11..

SECTION 4: First aid measures

4.1 Description of first aid measures

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or Inhalation:

physician if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse. Skin contact:

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice or attention.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious Ingestion:

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: May cause drowsiness or dizziness.

Skin contact: Causes irritation. Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Ventilate the area.

[•] Flam. Liq. 2 (H225) >= 35% > Flam. Liq. 3 (H226) >= 2%

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from flames and hot surfaces. No smoking. Keep away from heat. Take precautionary measures against static discharges.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Take off contaminated clothing. Wash contaminated clothing before reuse. Store used personal protective equipment separately. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging. Keep cool. Keep away from heat and direct sunlight.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Seveso - Lower Tier requirements (tonnes): 5000 Seveso - Upper Tier requirements (tonnes): 50000

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
propan-2-ol	200 ppm	400 ppm
ethanediol	20 ppm 52 mg/m ³	40 ppm 104 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
propan-2-ol	-	-	-	26
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
propan-2-ol	-	-	-	888
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	No data available	-	No data available	106

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
propan-2-ol	-	-	-	319
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	No data available	-	No data available	53

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
propan-2-ol	-	-	-	500
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	-	-	35	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m3)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
propan-2-ol	-	-	-	89
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	-	-	7	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
propan-2-ol	140.9	140.9	140.9	2251
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	10	1	10	199.5

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
propan-2-ol	552	552	28	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
ethanediol	37	3.7	1.53	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product: Activities covered:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a
Automatic transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

Personal protective equipment

Safety glasses are not normally required. However, their use is recommended in those cases where Eye / face protection:

splashes may occur when handling the product (EN 166).

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection: No special requirements under normal use conditions. Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Machine application	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Manual application by brushing, wiping or mopping					
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection: No special requirements under normal use conditions. Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Colourless Odour: Slightly perfumed Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
propan-2-ol	82	Method not given	1013
alkyl alcohol alkoxylate	No data available		
ethanediol	194-205	Method not given	1013

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Flammable.

Flash point (°C): ≈ 36 °C

Sustained combustion: The product sustains combustion

(UN Manual of Tests and Criteria, section 32, L.2)

closed cup Weight of evidence

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
propan-2-ol	2	13
ethanediol	3.2	15.3

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 9 (neat)

ISO 4316 Dilution pH: ≈ 9 ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
propan-2-ol	Soluble	Method not given	
alkyl alcohol alkoxylate	No data available		

ethanediol	Soluble	Method not given	20
------------	---------	------------------	----

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark
See substance data

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
propan-2-ol	4200	Method not given	20
alkyl alcohol alkoxylate	No data available		
ethanediol	12.3	Non guideline test	25

Method / remark

Relative density: ≈ 0.97 (20 °C) OECD 109 (EU A.3)

Relative vapour density: Not determined. Not relevant to classification of this product

Particle characteristics: No data available. Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive Weight of evidence

9.2.2 Other safety characteristicsNo other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
propan-2-ol	LD 50	5840	Rat	OECD 401 (EU B.1)		Not established
alkyl alcohol alkoxylate	LD 50	≥ 300-2000	Rat	Method not given		2100
ethanediol	LD 50	7712	Rat	Method not given		5200

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
propan-2-ol	LD 50	> 2000	Rabbit	Method not given		Not established
alkyl alcohol alkoxylate		No data available				Not established
ethanediol	LD 50	> 2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6
alkyl alcohol alkoxylate		No data available			
ethanediol	LC 50	> 2.5 (mist) No mortality observed	Rat	Weight of evidence	6

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
propan-2-ol	Not established	Not established	Not established	Not established
alkyl alcohol alkoxylate	Not established	Not established	Not established	Not established
ethanediol	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol alkoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
ethanediol	Not irritant	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol alkoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	
ethanediol	Not corrosive or irritant	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	No data available			
alkyl alcohol alkoxylate	No data available			
ethanediol	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			Buehler test	
alkyl alcohol alkoxylate	No data available			
ethanediol	Not sensitising		Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	No data available			
alkyl alcohol alkoxylate	No data available			
ethanediol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
propan-2-ol	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results	OECD 471 (EU	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
alkyl alcohol alkoxylate	No data available		No data available	
ethanediol	No evidence for mutagenicity, negative test results	Method not given	No data available	

Carcinogenicity

Ingredient(s)	Effect
propan-2-ol	No evidence for carcinogenicity, negative test results
alkyl alcohol alkoxylate	No data available
ethanediol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
propan-2-ol			No data				
			available				
alkyl alcohol alkoxylate			No data				
			available				
ethanediol			No data				No evidence for reproductive
			available				toxicity

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propan-2-ol		No data				
		available				
alkyl alcohol alkoxylate		No data				
		available				
ethanediol		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
propan-2-ol		No data				
		available				
alkyl alcohol alkoxylate		No data				
		available				
ethanediol		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propan-2-ol		No data				
		available				
alkyl alcohol alkoxylate		No data				
		available				
ethanediol		No data				
		available				

Chronic toxicity								
Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
propan-2-ol			No data					
			available					
alkyl alcohol alkoxylate			No data					
			available					
ethanediol			No data				_	
			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
propan-2-ol	Central nervous system
alkyl alcohol alkoxylate	No data available
ethanediol	No data available

5101-lepeated exposure	
Ingredient(s)	Affected organ(s)
propan-2-ol	No data available
alkyl alcohol alkoxylate	No data available
ethanediol	No data available

Aspiration hazard
Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48
alkyl alcohol alkoxylate	LC 50	> 1- 10	Leuciscus idus	Method not given	96
ethanediol	LC 50	18500	Oncorhynchus mvkiss	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	EC 50	> 100	Daphnia magna Straus	Method not given	48
alkyl alcohol alkoxylate	EC 50	> 1 - 10	Daphnia magna Straus	Method not given	48
ethanediol	EC 50	> 100	Daphnia magna Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	EC 50	> 100	Scenedesmus quadricauda	Method not given	72
alkyl alcohol alkoxylate		No data available			
ethanediol	EC 50	6500 - 13000	Pseudokirchner iella subcapitata	Method not given	96

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
propan-2-ol		No data			
		available			
alkyl alcohol alkoxylate		No data			
		available			
ethanediol		No data			
		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	
alkyl alcohol alkoxylate	EC 10	> 1000	Activated sludge	DEV-L2	
ethanediol	EC 50	10000	Pseudomonas putida	Method not given	16 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	

propan-2-ol		No data available			
alkyl alcohol alkoxylate		No data available			
ethanediol	NOEC	> 100	Not specified	Method not given	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propan-2-ol		No data available				
alkyl alcohol alkoxylate	NOEC	> 0.1 - 1	Daphnia magna	OECD 202	21 day(s)	
ethanediol	NOEC	> 100		Method not		

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				
alkyl alcohol alkoxylate		No data available				
ethanediol		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observed
		soil)			, , ,	
propan-2-ol		No data				
		available				

Terrestrial toxicity - plants, if available:

	Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
ſ	propan-2-ol		No data				
١			available				

Terrestrial toxicity - birds, if available:

Torrootrial toxiony birdo, il availabio.						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Terrestrial textory con basteria, il available.						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data				

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - priotodegradation in all, il avallable.									
Ingredient(s)	Half-life time	Method	Evaluation	Remark					
propan-2-ol	No data available								
ethanediol	No data available	Method not given	Rapidly photodegradable						

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
propan-2-ol	No data available			

Abiotic degradation - other processes, if available:

[Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
	propan-2-ol		No data available			

Biodegradation
Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable
alkyl alcohol alkoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
ethanediol			56 % in 28 day(s)	OECD 301A	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
propan-2-ol					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
propan-2-ol					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	
alkyl alcohol alkoxylate	No data available			
ethanediol	-1.34	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
propan-2-ol	No data available				
alkyl alcohol alkoxylate	No data available				
ethanediol	No data available				

12.4 Mobility in soil

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
propan-2-ol	No data available				Potential for mobility in soil, soluble in water
alkyl alcohol alkoxylate	No data available				
ethanediol	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1987

14.2 UN proper shipping name:

Alcohols, n.o.s. (isopropanol)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 3

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: F1
Tunnel restriction code: (D/E)
Hazard identification number: 30

IMO/IMDG

EmS: F-E, S-D

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: P5c - FLAMMABLE LIQUIDS

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS4881 Version: 05.3 Revision: 2022-12-21

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.
 H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
 DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate
 LD50 Lethal Dose, 50% / Median Lethal dose
- LC50 Lethal Concentration, 50% / Median Lethal Concentration EC50 effective concentration, 50%
- NOEL No observed effect level
- NOAEL No observed adverse effect level
- OECD Organisation for Economic Cooperation and Development

End of Safety Data Sheet