



Suma Grill Gel D9.4

Revision: 2022-12-01

Version: 05.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Grill Gel D9.4

UFI: R9TH-719U-N002-997N

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Oven/Grill cleaner.
For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_10_2
AISE_SWED_PW_11_2
AISE_SWED_PW_19_2

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands
Tel: 01 8081808 (9am - 5pm Mon-Fri)
Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).
National Poisons Information Centre
Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)
Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1A (H314)
Eye Dam. 1 (H318)
Aquatic Chronic 3 (H412)
Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sodium hydroxide (Sodium Hydroxide), alkyl alcohol ethoxylate (C13-15 Pareth-3), Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) (Sodium Laureth Sulfate), amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (Lauramine oxide)

Hazard statements:

H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260 - Do not breathe spray.
P280 - Wear protective gloves, protective clothing and eye or face protection.
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Suma Grill Gel D9.4

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		3-10
alkyl alcohol ethoxylate	[4]	64425-86-1	[4]	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		3-10
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	[4]	68585-34-2	[4]	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		3-10
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	931-292-6	308062-28-4	01-2119490061-47	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		1-3

Specific concentration limits

sodium hydroxide:

- Eye Dam. 1 (H318) >= 3% > Eye Irrit. 2 (H319) >= 0.5%
- Skin Corr. 1A (H314) >= 5% > Skin Corr. 1B (H314) >= 2% > Skin Irrit. 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information:

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

No known effects or symptoms in normal use.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

Suma Grill Gel D9.4

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures to prevent aerosol and dust generation:

Avoid formation of aerosol.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
sodium hydroxide		2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	-	-

Suma Grill Gel D9.4

alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	0.44

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available	-	- %	11

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available	-	- %	5.5

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	6.2

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	1.53

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium hydroxide	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	0.0335	0.00335	0.0335	24

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
sodium hydroxide	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	5.24	0.524	1.02	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: Provide a good standard of general ventilation. Ensure that foam equipment does not generate respirable particles. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
--	------------------------	-----	------	----------	-----

Suma Grill Gel D9.4

	worker exposure description			(min)	
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_2	PW	PROC 10	480	ERC8a
Foam spraying	AISE_SWED_PW_11_2	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_2	PW	PROC 19	480	ERC8a

Personal protective equipment**Eye / face protection:**

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

Apply technical measures to comply with the occupational exposure limits, if available. If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities.

Environmental exposure controls:

Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Appearance: Gel

Colour: Milky , White

Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium hydroxide	> 990	Method not given	
alkyl alcohol ethoxylate	No data available		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	> 100	Method not given	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: ≥ 11.5 (neat)

ISO 4316

Kinematic viscosity: ≈ 150 mPa.s (20 °C)

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hydroxide	1000	Method not given	20

Suma Grill Gel D9.4

alkyl alcohol ethoxylate	Insoluble	Method not given	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	409.5 Soluble	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark
See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hydroxide	< 1330	Method not given	20
alkyl alcohol ethoxylate	< 10		20
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	< 10	Method not given	25

Relative density: ≈ 1.10 (20 °C)

Relative vapour density: -

Particle characteristics: No data available.

Method / remark
OECD 109 (EU A.3)
Not relevant to classification of this product
Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Corrosive

Weight of evidence

9.2.2 Other safety characteristics

Alkali reserve: ≈ 7.0 (g NaOH / 100g; pH=10)

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium hydroxide		No data available				Not established

Suma Grill Gel D9.4

alkyl alcohol ethoxylate	LD ₅₀	> 2000	Rat	Method not given		Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LD ₅₀	> 2000	Rat	OECD 401 (EU B.1)		Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD ₅₀	> 1064 1064	Rat	OECD 401 (EU B.1)		33000

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium hydroxide	LD ₅₀	1350	Rabbit	Method not given		Not established
alkyl alcohol ethoxylate		No data available				Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)		Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD ₅₀	> -	Rat	OECD 402 (EU B.3)		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
alkyl alcohol ethoxylate		No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium hydroxide	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Not established	Not established	Not established	Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
alkyl alcohol ethoxylate	Irritant	Rabbit	Method not given	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Irritant	Rabbit	OECD 404 (EU B.4)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Severe damage	Rabbit	OECD 405 (EU B.5)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
alkyl alcohol ethoxylate	No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch test	
alkyl alcohol ethoxylate	No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Not sensitising	Guinea pig	OECD 406 (EU B.6)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			

Suma Grill Gel D9.4

alkyl alcohol ethoxylate	No data available		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available		

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)
alkyl alcohol ethoxylate	No data available		No data available	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		No data available	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
alkyl alcohol ethoxylate	No data available
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
alkyl alcohol ethoxylate			No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)			No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOAEL	Teratogenic effects	25	Rat	Non guideline test		

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	NOAEL	No data available	Rat	OECD 408 (EU B.26)	90	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOAEL	-		OECD 422, oral		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				

Suma Grill Gel D9.4

N-oxides		available			
----------	--	-----------	--	--	--

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hydroxide			No data available					
alkyl alcohol ethoxylate			No data available					
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)			No data available					
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
alkyl alcohol ethoxylate	No data available
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
alkyl alcohol ethoxylate	No data available
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	LC ₅₀	35	<i>Various species</i>	Method not given	96
alkyl alcohol ethoxylate	LC ₅₀	1 - 10	<i>Brachydanio rerio</i>	Method not given	96
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LC ₅₀	> 1 - 10	<i>Brachydanio rerio</i>	OECD 203, flow-through	96
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LC ₅₀	2.67-3.46	<i>Pimephales promelas</i>	Similar to OECD 203	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC ₅₀	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48
alkyl alcohol ethoxylate	EC ₅₀	0.1 - 1	<i>Not specified</i>	Method not given	48
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC ₅₀	> 1 - 10	<i>Daphnia magna Straus</i>	OECD 202, static	48

Suma Grill Gel D9.4

amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC ₅₀	3.1	<i>Daphnia magna</i> Straus	OECD 202, static	48
--	------------------	-----	-----------------------------	------------------	----

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25
alkyl alcohol ethoxylate	EC ₅₀	0.1 - 1	<i>Desmodesmus subspicatus</i>	Method not given	72
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC ₅₀	> 1 - 10		OECD 201, static	72
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	E _r C ₅₀	0.143	<i>Pseudokirchneriella subcapitata</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data available			
alkyl alcohol ethoxylate		No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data available			
alkyl alcohol ethoxylate	EC ₁₀	> 10000	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC ₁₀	> 10000	<i>Pseudomonas putida</i>		
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC ₁₀	> -	<i>Bacteria</i>	Non guideline test	- hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	-	<i>Pimephales promelas</i>	Method not given	- day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
alkyl alcohol ethoxylate	NOEC	> 0.1-<1	<i>Not specified</i>	Weight of evidence		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	-	<i>Daphnia magna</i>	OECD 211, flow-through	- day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				

Suma Grill Gel D9.4

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
alkyl alcohol ethoxylate	Activated sludge, aerobe	DOC reduction	90 - 100%	OECD 301A	Readily biodegradable
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Activated sludge, aerobe	CO ₂ production	90 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical	DT ₅₀	Method	Evaluation
---------------	---------------	------------	------------------	--------	------------

Suma Grill Gel D9.4

	method			
sodium hydroxide				No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	
alkyl alcohol ethoxylate	-		No bioaccumulation expected	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	< -	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				
alkyl alcohol ethoxylate	No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
alkyl alcohol ethoxylate	No data available				Potential for adsorption to soil
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available				Low mobility in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 15* - alkalines.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number:** 1824

Suma Grill Gel D9.4

14.2 UN proper shipping name:

Sodium hydroxide solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II**14.5 Environmental hazards:**

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****ADR**

Classification code: C5

Tunnel restriction code: (E)

Hazard identification number: 80

IMO/MDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants

5 - 15 %

anionic surfactants

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS4817**Version:** 05.0**Revision:** 2022-12-01**Reason for revision:**

This data sheet contains changes from the previous version in section(s): 1, 2, 4, 9, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H290 - May be corrosive to metals.

Suma Grill Gel D9.4

- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H400 - Very toxic to aquatic life.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet