



## FINISHED PRODUCT HAIRNET SPECIFICATION SHEET

**Hairtite**  
stretch-to-fit technology to hold hair flat

# Standard – VKNKI/C51WH

Independently tested to contain hair 2 x better than a traditional coarse mesh hairnet

Certified and Approved by HACCP International

|                             |   |
|-----------------------------|---|
| Material                    | polyester yarn<br>(ISO 9001 and Okotex accredited supplier)   |
| Elastic                     | Min. 3x stretch   |
| Width (qty of yarn strands) | 65  |
| Anti-Microbial              | Optional  |
| Size (stretched)            | 55cm  |
| Fold and Hold Technology    | Patent Granted  |
| Fabric Structure            | HairTite Standard   |
| Weight                      | 2 grams   |
| Dye Fastness                | 4/5 grey scale C06A2S   |
| Metal Detectable            | Same cost option for due diligence  |
| Colours                     | Blue, White, Red, Green, Yellow, Brown  |
| Quantities                  | <u>Inner</u> <u>Outer Case</u><br>100 balled                      1,000 or 4,000<br>2 x 50 card                      3,000<br>3 x 48 card                      2,880 or 7,200 |
| Colours:                    | Blue/White/Red/Yellow/Green/Brown   |



**FINISHED PRODUCT HAIRNET SPECIFICATION SHEET**

**Hairtite**  
stretch-to-fit technology to hold hair flat

**Standard**



## Features and Benefits: HAIRTITE STANDARD

- Independently tested for hair containment by the University of Bolton UK
  - 2 X better hair containment than a traditional 5mm mesh hairnet
  - 4 X better hair containment when worn under a mob cap
  - 8 X better hair containment when worn under a KleenCap MAX
- Only hair containment product to be certified and approved by HACCP International as suitable for use within food processing and food service environments



- Tested for harmful substances in accordance with Oeko-Tex Standard 100
- Mesh used is Flame retardant to BSEN ISO 1021 – 1:2006
- Contains Prolen: moisture wicking properties for optimum wearer comfort and temperature regulation
- Dual Elasticities
- Available metal free and metal detectable

For optimum hair containment read the White Paper Target Zero Hair Complaints @ [www.aburnet.co.uk/target-zero-hair-complaints/](http://www.aburnet.co.uk/target-zero-hair-complaints/)