



TASKI Sani Clonet W4f

Revision: 2022-09-26

Version: 07.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Sani Clonet W4f

UFI: KQ75-W0JA-000Q-69R1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Toilet bowl cleaner.
For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_10_2
AISE_SWED_PW_13_1
AISE_SWED_PW_19_2

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssebroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Hygiene Sales Limited
Jamestown Road, Finglas, Dublin 11, Ireland
Tel: 01 8081808 (9am - 5pm Mon-Fri)
Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).
National Poisons Information Centre
Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)
Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Irrit. 2 (H315)
Eye Irrit. 2 (H319)
Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Warning.

Hazard statements:

H290 - May be corrosive to metals.
H315 + H319 - Causes skin and serious eye irritation.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

TASKI Sani Clonet W4f

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sulphamic acid	226-218-8	5329-14-6	01-2119488633-28, 01-2119846728-23, 01-2119982121-44	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)		3-10
alkylbenzenesulphonic acid	287-494-3	85536-14-7	01-2119490234-40	Skin Corr. 1C (H314) Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		3-10
citric acid	201-069-1	-	01-2119457026-42	STOT SE 3 (H335) Eye Irrit. 2 (H319)		3-10

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes irritation.
Eye contact:	Causes severe irritation.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Repeated or prolonged contact: Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

TASKI Sani Clonet W4f

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphamic acid	-	-	-	1.06
alkylbenzenesulphonic acid	-	-	-	0.425
citric acid	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphamic acid	No data available	-	No data available	-
alkylbenzenesulphonic acid	-	-	-	85
citric acid	No data available	-	No data available	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphamic acid	No data available	-	No data available	-
alkylbenzenesulphonic acid	-	-	-	42.5
citric acid	No data available	-	No data available	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphamic acid	-	-	-	7.5
alkylbenzenesulphonic acid	-	-	-	6
citric acid	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphamic acid	-	-	-	1.85
alkylbenzenesulphonic acid	-	-	-	1.5
citric acid	-	-	-	-

TASKI Sani Clonet W4f

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sulphamic acid	0.3	0.03	0.3	200
alkylbenzenesulphonic acid	0.268	0.027	0.017	3.43
citric acid	0.44	0.044	-	> 1000

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
sulphamic acid	0.3	0.03	3	-
alkylbenzenesulphonic acid	8.1	6.8	35	-
citric acid	34.6	3.46	33.1	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_2	PW	PROC 10	480	ERC8a
Manual application by dipping, soaking, pouring	AISE_SWED_PW_13_1	PW	PROC 13	60	ERC8a
Manual application	AISE_SWED_PW_19_2	PW	PROC 19	480	ERC8a

Personal protective equipment**Eye / face protection:**

Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

Hand protection:

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
 Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
 In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical state: Liquid	
Colour: Clear , Medium , Red	
Odour: Product specific	
Odour threshold: Not applicable	
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sulphamic acid	Product decomposes before boiling		
alkylbenzenesulphonic acid	190	Method not given	

TASKI Sani Clonet W4f

citric acid	No data available		
-------------	-------------------	--	--

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: = < 2 (neat)

Kinematic viscosity: ≈ 95 mPa.s (20 °C)

Solubility in / Miscibility with water: Fully miscible

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sulphamic acid	213	Method not given	20
alkylbenzenesulphonic acid	> 10	Method not given	20
citric acid	1630	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sulphamic acid	0	Method not given	20
alkylbenzenesulphonic acid	0.15		20
citric acid	No data available		

Method / remark

Relative density: ≈ 1.06 (20 °C)

Relative vapour density: No data available.

Particle characteristics: No data available.

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Corrosive

9.2.2 Other safety characteristics

Acid reserve: ≈ -3.5 (g NaOH / 100g; pH=4)

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Keep away from products containing chlorine-based bleaching agents or sulphites.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Skin irritation and corrosivity**Result:** Skin irritant 2**Species:** Not applicable**Method:** Weight of evidence**Eye irritation and corrosivity****Result:** Eye irritant 2**Species:** Not applicable.**Method:** Weight of evidence

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sulphamic acid	LD ₅₀	2065	Rat	OECD 401 (EU B.1)		Not established
alkylbenzenesulphonic acid	LD ₅₀	1470	Rat	OECD 401 (EU B.1)		10000
citric acid	LD ₅₀	5400-11700	Rat	Method not given		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sulphamic acid		No data available				Not established
alkylbenzenesulphonic acid	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)		Not established
citric acid	LD ₅₀	> 2000	Rat	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphamic acid		No data available			
alkylbenzenesulphonic acid		No data available			
citric acid		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sulphamic acid	Not established	Not established	Not established	Not established
alkylbenzenesulphonic acid	Not established	Not established	Not established	Not established
citric acid	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphamic acid	Irritant	Rabbit	OECD 404 (EU B.4)	
alkylbenzenesulphonic acid	Corrosive	Rabbit	OECD 404 (EU B.4)	
citric acid	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphamic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
alkylbenzenesulphonic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
citric acid	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphamic acid	No data available			
alkylbenzenesulphonic acid	No data available			

citric acid	No data available		
-------------	-------------------	--	--

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sulphamic acid	No data available			
alkylbenzenesulphonic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
citric acid	Not sensitising	Guinea pig	Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sulphamic acid	No data available			
alkylbenzenesulphonic acid	No data available			
citric acid	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sulphamic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
alkylbenzenesulphonic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
citric acid	No data available		No evidence of genotoxicity, negative test results	Method not given

Carcinogenicity

Ingredient(s)	Effect
sulphamic acid	No data available
alkylbenzenesulphonic acid	No evidence for carcinogenicity, weight-of-evidence
citric acid	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sulphamic acid			No data available				
alkylbenzenesulphonic acid	NOAEL	Teratogenic effects	300	Rat	Read across	20 day(s)	
citric acid			No data available				No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphamic acid		No data available				
alkylbenzenesulphonic acid		No data available				
citric acid		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphamic acid		No data available				
alkylbenzenesulphonic acid		No data available				
citric acid		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphamic acid		No data available				
alkylbenzenesulphonic acid		No data available				
citric acid		No data available				

TASKI Sani Clonet W4f

		available			
--	--	-----------	--	--	--

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sulphamic acid			No data available					
alkylbenzenesulphonic acid	Oral	NOAEL	85	Rat	Read across	9 month(s)		
citric acid			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sulphamic acid	No data available
alkylbenzenesulphonic acid	No data available
citric acid	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sulphamic acid	No data available
alkylbenzenesulphonic acid	No data available
citric acid	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphamic acid	LC ₅₀	70.3	<i>Pimephales promelas</i>	OECD 203 (EU C.1)	96
alkylbenzenesulphonic acid	LC ₅₀	1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
citric acid	LC ₅₀	440	<i>Leuciscus idus</i>	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphamic acid	EC ₅₀	71.6	<i>Daphnia magna Straus</i>	OECD 202, semi-static	48
alkylbenzenesulphonic acid	EC ₅₀	1 - 10	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
citric acid	EC ₅₀	1535	<i>Daphnia magna Straus</i>	Method not given	24

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphamic acid	EC ₅₀	48	<i>Desmodesmus subspicatus</i>	OECD 201, static	72
alkylbenzenesulphonic acid	EC ₅₀	10 - 100	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72

TASKI Sani Clonet W4f

citric acid	LC ₅₀	425	<i>Scenedesmus quadricauda</i>	Method not given	168
-------------	------------------	-----	--------------------------------	------------------	-----

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sulphamic acid		No data available			
alkylbenzenesulphonic acid		No data available			
citric acid		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sulphamic acid	EC ₁₀	> 1000	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
alkylbenzenesulphonic acid		No data available			
citric acid	EC ₅₀	> 10000	<i>Pseudomonas putida</i>	Method not given	16 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphamic acid		No data available				
alkylbenzenesulphonic acid	NOEC	0.1 - 1	<i>Lepomis macrochirus</i>	Read across	28 day(s)	
citric acid		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphamic acid		No data available				
alkylbenzenesulphonic acid	NOEC	1 - 10	<i>Not specified</i>	Read across	32 day(s)	
citric acid		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sulphamic acid		No data available				
alkylbenzenesulphonic acid		No data available				
citric acid		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid	LD ₅₀	> 1000	<i>Eisenia fetida</i>	OECD 207	14	
citric acid		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid	EC ₅₀	167		OECD 208	21	
citric acid		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data				

TASKI Sani Clonet W4f

		available				
citric acid		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data available				
citric acid		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data available				
citric acid		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
alkylbenzenesulphonic acid	No data available			
citric acid	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
alkylbenzenesulphonic acid	No data available			
citric acid	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
alkylbenzenesulphonic acid		No data available			
citric acid		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sulphamic acid					Not applicable (inorganic substance)
alkylbenzenesulphonic acid			94 % in 28 day(s)	OECD 301A	Readily biodegradable
citric acid			97 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
alkylbenzenesulphonic acid					No data available
citric acid					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
alkylbenzenesulphonic acid					No data available
citric acid					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sulphamic acid	0.1		No bioaccumulation expected	
alkylbenzenesulphonic acid	3.2	Method not given	Low potential for bioaccumulation	
citric acid	-1.72		No bioaccumulation expected	

TASKI Sani Clonet W4f

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sulphamic acid	No data available				
alkylbenzenesulphonic acid	2 - 500		Method not given	Low potential for bioaccumulation	
citric acid	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sulphamic acid	No data available				
alkylbenzenesulphonic acid	No data available				Low mobility in soil
citric acid	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 14* - acids.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport informationLand transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1760

14.2 UN proper shipping name:

Corrosive liquid, n.o.s. (sulphamic acid , alkylsulphonic acid)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C9

Tunnel restriction code: E

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

TASKI Sani Clonet W4f

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants < 5 %
perfumes

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS4966

Version: 07.0

Revision: 2022-09-26

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H335 - May cause respiratory irritation.
- H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories

TASKI Sani Clonet W4f

- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet