



## Horizon Bio

Revision: 2022-12-01

Version: 09.4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Horizon Bio

UFI: 9C60-70NE-800H-NNKJ

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Laundry detergent.  
For professional use only.

**Uses advised against:** Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_1\_1  
AISE\_SWED\_PW\_8a\_2  
AISE\_SWED\_PW\_4\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssebroeksedijk 2, 3542DN Utrecht, The Netherlands  
Tel: 01 8081808 (9am - 5pm Mon-Fri)  
Email: dublin.orders@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).  
National Poisons Information Centre  
Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)  
Tel: 01 809 2566 (health care professionals).

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

#### 2.2 Label elements



**Signal word:** Warning.

#### Hazard statements:

H319 - Causes serious eye irritation.

#### 2.3 Other hazards

No other hazards known.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		10-20
sodium percarbonate	239-707-6	15630-89-4	01-2119457268-30	Ox. Sol. 2 (H272) Acute Tox. 4 (H302) Eye Dam. 1 (H318)		3-10

## Horizon Bio

disodium disilicate	215-687-4	1344-09-8	01-2119448725-31	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	3-10
sodium alkylbenzenesulphonate	270-115-0	68411-30-3	01-2119489428-22	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)	3-10
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)	1-3

**Specific concentration limits**

sodium percarbonate:

• Eye Dam. 1 (H318) &gt;= 25% &gt; Eye Irrit. 2 (H319) &gt;= 7.5%

alkyl alcohol ethoxylate:

• Eye Dam. 1 (H318) &gt;= 10% &gt; Eye Irrit. 2 (H319) &gt;= 1%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

**SECTION 4: First aid measures****4.1 Description of first aid measures****Inhalation:**

Get medical attention or advice if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

**Eye contact:**

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

**4.2 Most important symptoms and effects, both acute and delayed****Inhalation:**

No known effects or symptoms in normal use.

**Skin contact:**

No known effects or symptoms in normal use.

**Eye contact:**

Causes severe irritation.

**Ingestion:**

No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up**

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

**Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**Recommended monitoring procedures, if available:****Additional exposure limits under the conditions of use, if available:****DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	-	-
sodium percarbonate	-	-	-	-
disodium disilicate	-	-	-	0.8
sodium alkylbenzenesulphonate	-	-	-	0.425
alkyl alcohol ethoxylate	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	-	-	No data available	-
sodium percarbonate	12.8 mg/cm <sup>2</sup> skin	-	12.8 mg/cm <sup>2</sup> skin	-
disodium disilicate	No data available	-	No data available	1.59
sodium alkylbenzenesulphonate	-	-	-	119
alkyl alcohol ethoxylate	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	No data available	-	No data available	-
sodium percarbonate	6.4 mg/cm <sup>2</sup> skin	-	6.4 mg/cm <sup>2</sup> skin	-
disodium disilicate	No data available	-	No data available	0.8
sodium alkylbenzenesulphonate	-	-	-	42.5
alkyl alcohol ethoxylate	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	10	-
sodium percarbonate	-	-	5	-
disodium disilicate	-	-	-	5.61
sodium alkylbenzenesulphonate	-	-	-	6
alkyl alcohol ethoxylate	-	-	-	-

## Horizon Bio

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	10	-	-	-
sodium percarbonate	-	-	-	-
disodium disilicate	-	-	-	1.38
sodium alkylbenzenesulphonate	-	-	-	1.5
alkyl alcohol ethoxylate	-	-	-	-

## Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium carbonate	-	-	-	-
sodium percarbonate	0.035	0.035	0.035	16.24
disodium disilicate	7.5	1	7.5	348
sodium alkylbenzenesulphonate	0.268	0.0268	0.0167	3.43
alkyl alcohol ethoxylate	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
sodium carbonate	-	-	-	-
sodium percarbonate	-	-	-	-
disodium disilicate	-	-	-	-
sodium alkylbenzenesulphonate	8.1	6.8	35	-
alkyl alcohol ethoxylate	-	-	-	-

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

## REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a
Manual transfer and dilution	AISE_SWED_PW_1_1	PW	PROC 1	60	ERC8a

## Personal protective equipment

**Eye / face protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** If exposure to dust cannot be avoided use: full-face mask (EN 136) with filter type HEPA (N100, Class H14) (EN 1822) or self-contained or compressed air breathing apparatus (EN 137 / EN 138). Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen.

**Environmental exposure controls:** No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 1.4

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** No special requirements under normal use conditions.

## REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

**Personal protective equipment**

<b>Eye / face protection:</b>	No special requirements under normal use conditions.
<b>Hand protection:</b>	No special requirements under normal use conditions.
<b>Body protection:</b>	No special requirements under normal use conditions.
<b>Respiratory protection:</b>	No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical state:</b> Solid	
<b>Appearance:</b> Powder	
<b>Colour:</b> Speckles , Medium , from White to Blue	
<b>Odour:</b> Product specific	
<b>Odour threshold:</b> Not applicable	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	Not applicable to solids or gases

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium carbonate	1600	Method not given	1013
sodium percarbonate	Product decomposes before boiling		
disodium disilicate	> 100	Method not given	
sodium alkylbenzenesulphonate	No data available		
alkyl alcohol ethoxylate	> 200	Method not given	

	Method / remark
<b>Flammability (solid, gas):</b> Not determined	
<b>Flammability (liquid):</b> Not applicable.	
<b>Flash point (°C):</b> Not applicable.	Not relevant to classification of this product
<b>Sustained combustion:</b> Not applicable. ( UN Manual of Tests and Criteria, section 32, L.2 )	
<b>Lower and upper explosion limit/flammability limit (%):</b> Not determined	

Substance data, flammability or explosive limits, if available:

	Method / remark
<b>Autoignition temperature:</b> Not determined	Not relevant to classification of this product
<b>Decomposition temperature:</b> Not applicable.	
<b>pH:</b> Not applicable	
<b>Dilution pH:</b> > 11 (1.4 %)	ISO 4316
<b>Kinematic viscosity:</b> Not determined	Not applicable to solids or gases
<b>Solubility in / Miscibility with water:</b> Soluble	

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium carbonate	210-215	Method not given	20
sodium percarbonate	140	Method not given	20
disodium disilicate	Soluble	Method not given	20
sodium alkylbenzenesulphonate	> 250		
alkyl alcohol ethoxylate	Soluble	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

	Method / remark
<b>Vapour pressure:</b> Not determined	See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium carbonate	Negligible		
sodium percarbonate	Negligible		
disodium disilicate	No data available		

## Horizon Bio

sodium alkylbenzenesulphonate	No data available		
alkyl alcohol ethoxylate	Negligible	Method not given	20-25

**Relative density:**  $\approx 0.82$  (20 °C)  
**Relative vapour density:** No data available.  
**Particle characteristics:** Not determined.

**Method / remark**  
 OECD 109 (EU A.3)  
 Not applicable to solids  
 Not relevant to classification of this product.

**9.2 Other information****9.2.1 Information with regard to physical hazard classes**

**Explosive properties:** Not explosive.  
**Oxidising properties:** Not oxidising.  
**Corrosion to metals:** Not determined

Not explosive, based on substance properties  
 Not oxidising, based on substance properties  
 Not applicable to solids or gases

**9.2.2 Other safety characteristics**

No other relevant information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

None known under normal use conditions.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Mixture data:.

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

**Eye irritation and corrosivity**

**Result:** Eye irritant 2      **Method:** Weight of evidence

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD <sub>50</sub>	2800	Rat	OECD 401 (EU B.1)		31000
sodium percarbonate	LD <sub>50</sub>	1034	Rat	Method not given		10000
disodium disilicate	LD <sub>50</sub>	3400	Rat	Method not given		Not established
sodium alkylbenzenesulphonate	LD <sub>50</sub>	1080	Rat	OECD 401 (EU B.1)		10000
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 300-2000	Rat	OECD 423 (EU B.1 tris)		21000

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established
sodium percarbonate	LD <sub>50</sub>	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
disodium disilicate	LD <sub>50</sub>	> 5000	Rat	Method not given		Not established
sodium alkylbenzenesulphonate	LD <sub>50</sub>	> 2000	Rat	OECD 402 (EU B.3)		Not established

alkyl alcohol ethoxylate	LD <sub>50</sub>	> 2000	Rabbit	Method not given	Not established
--------------------------	------------------	--------	--------	------------------	-----------------

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC <sub>50</sub>	> 2.3 (dust)		Weight of evidence	2
sodium percarbonate		No data available			
disodium disilicate	LC <sub>50</sub>	> 2.06 No mortality observed	Rat	Non guideline test	
sodium alkylbenzenesulphonate		No data available			
alkyl alcohol ethoxylate		No data available			

## Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium carbonate	Not established	Not established	Not established	Not established
sodium percarbonate	Not established	Not established	Not established	Not established
disodium disilicate	Not established	Not established	Not established	Not established
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established

## Irritation and corrosivity

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium percarbonate	Not irritant	Rabbit	Method not given	
disodium disilicate	Irritant		Method not given	
sodium alkylbenzenesulphonate	Irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium percarbonate	Severe damage	Rabbit	EPA OPP 81-4	
disodium disilicate	Severe damage		Method not given	
sodium alkylbenzenesulphonate	Corrosive	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium percarbonate	Irritating to respiratory tract	Mouse	Method not given	
disodium disilicate	Irritating to respiratory tract		Method not given	
sodium alkylbenzenesulphonate	Not irritating to respiratory tract			
alkyl alcohol ethoxylate	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium carbonate	Not sensitising		Method not given	
sodium percarbonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
disodium disilicate	Not sensitising		Method not given	
sodium alkylbenzenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium percarbonate	No data available			

## Horizon Bio

disodium disilicate	No data available			
sodium alkylbenzenesulphonate	No data available			
alkyl alcohol ethoxylate	No data available			

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium carbonate	No data available		No data available	
sodium percarbonate	No data available		No data available	
disodium disilicate	No evidence for mutagenicity, negative test results		No data available	
sodium alkylbenzenesulphonate	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 OECD 473	No data available	
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given

## Carcinogenicity

Ingredient(s)	Effect
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
sodium percarbonate	No data available
disodium disilicate	No evidence for carcinogenicity, negative test results
sodium alkylbenzenesulphonate	No data available
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium carbonate			No data available				
sodium percarbonate			No data available				
disodium disilicate			No data available				No evidence for reproductive toxicity
sodium alkylbenzenesulphonate	NOAEL	Teratogenic effects	300	Rat	Non guideline test		No known significant effects or critical hazards
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards

**Repeated dose toxicity**

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
disodium disilicate	NOAEL	> 159	Rat	Method not given	180	No effects observed
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol ethoxylate		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
disodium disilicate		No data available				
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol ethoxylate		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				



## Horizon Bio

sodium percarbonate		No data available				
disodium disilicate		No data available				
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol ethoxylate		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium carbonate			No data available					
sodium percarbonate			No data available					
disodium disilicate			No data available					
sodium alkylbenzenesulphonate			No data available					
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	

## STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium percarbonate	No data available
disodium disilicate	No data available
sodium alkylbenzenesulphonate	No data available
alkyl alcohol ethoxylate	Not applicable

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium percarbonate	No data available
disodium disilicate	Not applicable
sodium alkylbenzenesulphonate	No data available
alkyl alcohol ethoxylate	Not applicable

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## 11.2 Information on other hazards

## 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

## 11.2.2 Other information

No other relevant information available.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC <sub>50</sub>	300	<i>Lepomis macrochirus</i>	Method not given	96
sodium percarbonate	LC <sub>50</sub>	70.7	<i>Pimephales promelas</i>	Method not given	96
disodium disilicate	LC <sub>50</sub>	1108	<i>Brachydanio rerio</i>	Method not given	96
sodium alkylbenzenesulphonate	LC <sub>50</sub>	1.67	<i>Fish</i>	EPA-OPPTS 850.1075	96

alkyl alcohol ethoxylate	LC <sub>50</sub>	1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
--------------------------	------------------	--------	------------------------	-------------------	----

## Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC <sub>50</sub>	200-227	<i>Ceriodaphnia dubia</i>	Method not given	96
sodium percarbonate	EC <sub>50</sub>	4.9	<i>Daphnia pulex</i>	Method not given	48
disodium disilicate	EC <sub>50</sub>	1700	<i>Daphnia magna Straus</i>	Method not given	48
sodium alkylbenzenesulphonate	LC <sub>50</sub>	2.9	<i>Daphnia</i>	OECD 202 (EU C.2)	48
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 - 10	<i>Daphnia magna Straus</i>	OECD 202, static	48

## Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC <sub>50</sub>	> 800	<i>Selenastrum capricornutum</i>		72
sodium percarbonate	EC <sub>50</sub>	2.5	<i>Chlorella vulgaris</i>	Read across	
disodium disilicate	EC <sub>50</sub>	207	<i>Desmodesmus subspicatus</i>	Method not given	72
sodium alkylbenzenesulphonate	E <sub>b</sub> C <sub>50</sub>	47.3	Not specified	Non guideline test	72
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201, static	72

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			
sodium percarbonate		No data available			
disodium disilicate		No data available			
sodium alkylbenzenesulphonate		No data available			
alkyl alcohol ethoxylate		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
sodium percarbonate	EC <sub>50</sub>	466	Activated sludge	OECD 209	0.5 hour(s)
disodium disilicate		No data available			
sodium alkylbenzenesulphonate	EC <sub>50</sub>	550	Bacteria	OECD 209	3 hour(s)
alkyl alcohol ethoxylate	EC <sub>10</sub>	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium percarbonate	NOEC	7.4	<i>Pimephales promelas</i>	Method not given	96 hour(s)	
disodium disilicate	NOEC	348	<i>Brachydanio rerio</i>	Method not given	96 hour(s)	
sodium alkylbenzenesulphonate	NOEC	0.23	<i>Oncorhynchus mykiss</i>	Method not given	72 day(s)	
alkyl alcohol ethoxylate		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium percarbonate	NOEC	2	<i>Daphnia pulex</i>	Method not given	48 hour(s)	

## Horizon Bio

disodium disilicate		No data available				
sodium alkylbenzenesulphonate	NOEC	1.41	<i>Daphnia magna</i>	OECD 211		
alkyl alcohol ethoxylate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
sodium percarbonate		No data available				
disodium disilicate		No data available				
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol ethoxylate		No data available				

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
alkyl alcohol ethoxylate	NOEC	220	<i>Eisenia fetida</i>			

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
alkyl alcohol ethoxylate	NOEC	10	<i>Lepidium sativum</i>	OECD 208		

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			
sodium percarbonate	NA	Method not given		

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	
sodium percarbonate	< 1 day(s)	Method not given	Hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
sodium percarbonate					Not applicable (inorganic substance)
disodium disilicate					Not applicable (inorganic substance)
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	85 % in 28 day(s)	OECD 301B	Readily biodegradable
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available

**12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium carbonate	No data available		No bioaccumulation expected	
sodium percarbonate	No data available			
disodium disilicate	No data available		Low potential for bioaccumulation	
sodium alkylbenzenesulphonate	3.32	Method not given	Low potential for bioaccumulation	
alkyl alcohol ethoxylate	4.09	QSAR	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available			No bioaccumulation expected	
sodium percarbonate	No data available				
disodium disilicate	No data available				
sodium alkylbenzenesulphonate	2-1000		Method not given	High potential for bioaccumulation	
alkyl alcohol ethoxylate	-			No bioaccumulation expected	

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium percarbonate	No data available				High potential for mobility in soil
disodium disilicate	No data available				
sodium alkylbenzenesulphonate	No data available				
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:**

20 01 29\* - detergents containing dangerous substances.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**SECTION 14: Transport information****Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

**14.1 UN number:** Non-dangerous goods

**14.2 UN proper shipping name:** Non-dangerous goods

**14.3 Transport hazard class(es):** Non-dangerous goods

**14.4 Packing group:** Non-dangerous goods

**14.5 Environmental hazards:** Non-dangerous goods

**14.6 Special precautions for user:** Non-dangerous goods

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** Non-dangerous goods

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to EC Detergents Regulation 648/2004**

oxygen-based bleaching agents

5 - 15 %

anionic surfactants, non-ionic surfactants, zeolites

< 5 %

perfumes , optical brighteners, enzymes

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Seveso - Classification:** Not classified

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** 659896

**Version:** 09.4

**Revision:** 2022-12-01

**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 1, 8, 10, 15, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for

classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Full text of the H and EUH phrases mentioned in section 3:**

- H272 - May intensify fire; oxidiser.
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H335 - May cause respiratory irritation.
- H412 - Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

**End of Safety Data Sheet**