



Bryta 5in1 Dishwasher Tabs

Revision: 2022-12-01

Version: 01.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Bryta 5in1 Dishwasher Tabs

UFI: VFME-N1UX-300F-WCHD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:

Dish wash product.

For professional use only.

Uses advised against:

Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_4_1

AISE_SWED_PW_8b_2

AISE_SWED_PW_1_1

AISE_SWED_PW_4_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssebroeksedijk 2, 3542DN Utrecht, The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri)

Email: dublin.orders@diverse.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains subtilisin (Subtilisin)

Hazard statements:

H319 - Causes serious eye irritation.

EUH208 - May produce an allergic reaction.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
---------------	-----------	------------	--------------	----------------	-------	----------------

Bryta 5in1 Dishwasher Tabs

sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)	20-30
sodium percarbonate	239-707-6	15630-89-4	01-2119457268-30	Ox. Sol. 2 (H272) Acute Tox. 4 (H302) Eye Dam. 1 (H318)	10-20
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	[4]	501019-88-1	[4]	Aquatic Chronic 3 (H412)	1-3
sodium silicate	215-687-4	1344-09-8	01-2119448725-31	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	1-3
subtilisin	232-752-2	9014-01-1	01-2119480434-38	Acute Tox. 4 (H302) STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Resp. Sens. 1 (H334) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	0.1-1

Specific concentration limits

sodium percarbonate:

- Eye Dam. 1 (H318) >= 25% > Eye Irrit. 2 (H319) >= 7.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****Inhalation:**

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

No known effects or symptoms in normal use.

Eye contact:

Causes severe irritation.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

Bryta 5in1 Dishwasher Tabs

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
subtilisin	0.00006 mg/m ³	0.00006 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	-	-
sodium percarbonate	-	-	-	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	-	-	-	0.8
subtilisin	-	3.6	-	1.8

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	-	-	No data available	-
sodium percarbonate	12.8 mg/cm ² skin	-	12.8 mg/cm ² skin	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	No data available	-	No data available	1.59
subtilisin	0.2 %	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	No data available	-	No data available	-
sodium percarbonate	6.4 mg/cm ² skin	-	6.4 mg/cm ² skin	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	No data available	-	No data available	0.8
subtilisin	0.2 %	-	-	-

Bryta 5in1 Dishwasher Tabs

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	10	-
sodium percarbonate	-	-	5	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	-	-	-	5.61
subtilisin	-	-	0.00006	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	10	-	-	-
sodium percarbonate	-	-	-	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	-	-	-	1.38
subtilisin	-	-	0.000015	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium carbonate	-	-	-	-
sodium percarbonate	0.035	0.035	0.035	16.24
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	7.5	1	7.5	348
subtilisin	0.00006	0.000006	-	65

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
sodium carbonate	-	-	-	-
sodium percarbonate	-	-	-	-
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available	No data available	No data available	No data available
sodium silicate	-	-	-	-
subtilisin	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a
Automatic transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: If exposure to dust cannot be avoided use: full-face mask (EN 136) with filter type HEPA (N100, Class H14) (EN 1822) or self-contained or compressed air breathing apparatus (EN 137 / EN 138). Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen.

Environmental exposure controls: No special requirements under normal use conditions.

Bryta 5in1 Dishwasher Tabs

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 0.1

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical state: Solid	
Appearance: Tablets	
Colour: Speckles , from White to Blue	
Odour: Product specific	
Odour threshold: Not applicable	
Melting point/freezing point (°C): Not determined	OECD 102
Initial boiling point and boiling range (°C): 2000	

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium carbonate	1600	Method not given	1013
sodium percarbonate	Product decomposes before boiling		
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available		
sodium silicate	> 100	Method not given	
subtilisin	No data available		

	Method / remark
Flammability (solid, gas): Not determined	
Flammability (liquid): Not applicable.	
Flash point (°C): Not applicable.	Not relevant to classification of this product
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Lower and upper explosion limit/flammability limit (%): Not determined	See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
subtilisin	-	-

	Method / remark
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
pH: Not applicable	
Dilution pH: ≈ 10 (0.1 %)	ISO 4316
Kinematic viscosity: Not determined	Not applicable to solids or gases
Solubility in / Miscibility with water: Soluble	

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium carbonate	210-215	Method not given	20

Bryta 5in1 Dishwasher Tabs

sodium percarbonate	140	Method not given	20
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available		
sodium silicate	Soluble	Method not given	20
subtilisin	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium carbonate	Negligible		
sodium percarbonate	Negligible		
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available		
sodium silicate	No data available		
subtilisin	Not applicable		

Relative density: ≈ 0.30 (20 °C)

Relative vapour density: No data available.

Particle characteristics: Not determined.

Method / remark

OECD 109 (EU A.3)

Not applicable to solids

Not relevant to classification of this product.

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not determined

Weight of evidence

Not applicable to solids or gases

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2

Method: Weight of evidence

Substance data, where relevant and available, are listed below:

Bryta 5in1 Dishwasher Tabs

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD ₅₀	2800	Rat	OECD 401 (EU B.1)		14000
sodium percarbonate	LD ₅₀	1034	Rat	Method not given		3300
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available				Not established
sodium silicate	LD ₅₀	3400	Rat	Method not given		Not established
subtilisin	LD ₅₀	1800	Rat	OECD 401 (EU B.1)		1.2e+006

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD ₅₀	> 2000	Rabbit	Method not given		Not established
sodium percarbonate	LD ₅₀	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available				Not established
sodium silicate	LD ₅₀	> 5000	Rat	Method not given		Not established
subtilisin		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC ₅₀	> 2.3 (dust)		Weight of evidence	2
sodium percarbonate		No data available			
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available			
sodium silicate	LC ₅₀	> 2.06	Rat	Method not given	
subtilisin		-		Weight of evidence	

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium carbonate	Not established	Not established	Not established	Not established
sodium percarbonate	Not established	Not established	Not established	Not established
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	Not established	Not established	Not established	Not established
sodium silicate	Not established	Not established	Not established	Not established
subtilisin	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium percarbonate	Not irritant	Rabbit	Method not given	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available			
sodium silicate	Irritant		Method not given	
subtilisin	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium percarbonate	Severe damage	Rabbit	EPA OPP 81-4	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available			
sodium silicate	Irritant		Method not given	
subtilisin	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium percarbonate	Irritating to respiratory tract	Mouse	Method not given	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available			

Bryta 5in1 Dishwasher Tabs

sodium silicate	Irritating to respiratory tract		Method not given	
subtilisin	Irritating to respiratory tract			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium carbonate	Not sensitising		Method not given	
sodium percarbonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available			
sodium silicate	Not sensitising		Method not given	
subtilisin	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium percarbonate	No data available			
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available			
sodium silicate	No data available			
subtilisin	Sensitising		Weight of evidence	

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium carbonate	No data available		No data available	
sodium percarbonate	No data available		No data available	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available		No data available	
sodium silicate	No evidence for mutagenicity, negative test results		No data available	
subtilisin	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Chinese Hamster Ovary)	No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
sodium percarbonate	No data available
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available
sodium silicate	No evidence for carcinogenicity, negative test results
subtilisin	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium carbonate			No data available				
sodium percarbonate			No data available				
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)			No data available				
sodium silicate			No data available				No evidence for reproductive toxicity
subtilisin			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected

Bryta 5in1 Dishwasher Tabs

sodium carbonate		No data available			
sodium percarbonate		No data available			
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available			
sodium silicate	NOAEL	> 159	Rat	Method not given	
subtilisin		No data available			

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available				
sodium silicate		No data available				
subtilisin		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available				
sodium silicate		No data available				
subtilisin		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium carbonate			No data available					
sodium percarbonate			No data available					
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)			No data available					
sodium silicate			No data available					
subtilisin			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium percarbonate	No data available
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available
sodium silicate	No data available
subtilisin	Respiratory tract

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
sodium percarbonate	No data available
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available
sodium silicate	No data available
subtilisin	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC ₅₀	300	<i>Lepomis macrochirus</i>	Method not given	96
sodium percarbonate	LC ₅₀	70.7	<i>Pimephales promelas</i>	Method not given	96
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	LC ₅₀	1-10	<i>Pimephales promelas</i>		96
sodium silicate	LC ₅₀	260 - 310	<i>Oncorhynchus mykiss</i>	Method not given	96
subtilisin	LC ₅₀	8.2	<i>Fish</i>	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC ₅₀	200-227	<i>Ceriodaphnia dubia</i>	Method not given	96
sodium percarbonate	EC ₅₀	4.9	<i>Daphnia pulex</i>	Method not given	48
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	EC ₅₀	1-10	<i>Daphnia magna Straus</i>		48
sodium silicate	EC ₅₀	1700	<i>Daphnia magna Straus</i>	OECD 202, static	48
subtilisin	EC ₅₀	0.586	<i>Daphnia</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC ₅₀	> 800	<i>Selenastrum capricornutum</i>		72
sodium percarbonate	EC ₅₀	2.5	<i>Chlorella vulgaris</i>	Read across	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	EC ₅₀	10-100	<i>Desmodesmus subspicatus</i>		72
sodium silicate	EC ₅₀	207	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
subtilisin	E _r C ₅₀	0.830	<i>Not specified</i>	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			
sodium percarbonate		No data available			
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available			
sodium silicate		No data available			
subtilisin		No data available			

Bryta 5in1 Dishwasher Tabs

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
sodium percarbonate	EC ₅₀	466	Activated sludge	OECD 209	0.5 hour(s)
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available			
sodium silicate		No data available			
subtilisin		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium percarbonate	NOEC	7.4	<i>Pimephales promelas</i>	Method not given	96 hour(s)	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available				
sodium silicate	NOEC	348	<i>Brachydanio rerio</i>	Method not given	96 hour(s)	
subtilisin		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium percarbonate	NOEC	2	<i>Daphnia pulex</i>	Method not given	48 hour(s)	
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available				
sodium silicate		No data available				
subtilisin		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
sodium percarbonate		No data available				
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)		No data available				
sodium silicate		No data available				
subtilisin		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Bryta 5in1 Dishwasher Tabs

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			
sodium percarbonate	NA	Method not given		

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	
sodium percarbonate	< 1 day(s)	Method not given	Hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
sodium percarbonate					Not applicable (inorganic substance)
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)			70% in 28 day(s)	OECD 301B	Readily biodegradable
sodium silicate					Not applicable (inorganic substance)
subtilisin				OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium carbonate					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium carbonate	No data available		No bioaccumulation expected	
sodium percarbonate	No data available			
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available			
sodium silicate	No data available		Low potential for bioaccumulation	

Bryta 5in1 Dishwasher Tabs

subtilisin	< 0		
------------	-----	--	--

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available			No bioaccumulation expected	
sodium percarbonate	No data available				
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available				
sodium silicate	No data available				
subtilisin	-			Not relevant, does not bioaccumulate	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium percarbonate	No data available				High potential for mobility in soil
oxirane, methyl-, polymer with oxirane, mono-C8-10-alkyl ethers, ethers with 1,2-decanediol (1:1)	No data available				
sodium silicate	No data available				
subtilisin	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

SECTION 14: Transport informationLand transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

Transport hazard class (and subsidiary risks): -

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Bryta 5in1 Dishwasher Tabs**EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

oxygen-based bleaching agents	15 - 30 %
polycarboxylates, non-ionic surfactants	< 5 %
enzymes, perfumes	

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1004932

Version: 01.1

Revision: 2022-12-01

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 8, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H272 - May intensify fire; oxidiser.
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet