Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name : Ecobrite Oxy

UFI : 78VS-UCF7-F001-1C0U

Product code : 110894E

Use of the

Substance/Mixture

Bleach

Substance type: : Mixture

For professional users only.

Product dilution information : No dilution information provided.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laundry aid (gasing). Automatic process

Recommended restrictions

on use

: Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company : Ecolab Limited

Forest Park

Mullingar Industrial Estate, Mullingar Co. Westmeath Ireland +353

1 276 3500

infoireland@ecolab.com

Ecolab Ltd.

PO Box 11; Winnington Avenue

Northwich, Cheshire, United Kingdom CW8 4DX

+353 (0)1 276 3500 ccs@ecolab.com

1.4 Emergency telephone number

Poison Information Centre

telephone number

Poisons Information: For information or to report a poisoning

incident contact The National Poisons Information Centre (01

8092166)

Date of Compilation/Revision : 24.08.2022 Version : 3.0

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

110894E 1 / 13

Acute toxicity, Category 4 H302
Serious eye damage, Category 1 H318
Chronic aquatic toxicity, Category 3 H412

The classification of this product is based on toxicological assessment.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention**:

P273 Avoid release to the environment.
P280e Wear eye protection/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label: Hydrogen peroxide

2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration
	EC-No.	REGULATION (EC) No 1272/2008	: [%]
	REACH No.	, ,	
Hydrogen peroxide	7722-84-1	Nota B Oxidizing liquids Category 1; H271	>= 30 - < 35
	231-765-0	Acute toxicity Category 4; H302	
	01-2119485845-22	Acute toxicity Category 4; H332	
		Skin corrosion Sub-category 1A; H314	
		Serious eye damage Category 1; H318	
		Specific target organ toxicity - single	
		exposure Category 3; H335	
		Chronic aquatic toxicity Category 3; H412	
		Oxidizing liquids Category 1	
		H271 >= 70 %	
		Oxidizing liquids Category 2	
		H272 50 - < 70 %	

110894E 2 / 13

Skin corrosion Category 1A

H314 >= 70 %

Skin corrosion Category 1B

H314 50 - < 70 %

Skin irritation Category 2

H315 35 - < 50 %

Serious eye damage Category 1

H318 8 - < 50 %

Eye irritation Category 2

H319 5 - < 8 %

Specific target organ toxicity - single exposure Category 3

H335 >= 35 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: On decomposition, releases oxygen which may intensify fire.

Hazardous combustion

products

: Depending on combustion properties, decomposition products

may include following materials:

Not applicable.

5.3 Advice for firefighters

110894E 3 / 13

for firefighters

Special protective equipment: Use personal protective equipment.

Further information

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of

fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency

personnel

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials.

6.2 Environmental precautions

Environmental precautions

: Do not allow contact with soil, surface or ground water. DO NOT hermetically seal any defective containers, including drums (risk of bursting due to the decomposition of the product)

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Use only

with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal

Protective Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety

> practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after

> handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

110894E 4/13

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Do not store on wooden pallets. Keep out of reach of children.
 Keep container tightly closed. Store in suitable labeled containers.
 Do not hermetically seal the container. Risk of overpressure and bursting in the event of decomposition in closed containers and in

pipes.

Storage temperature : 0 °C to 40 °C

7.3 Specific end uses

Specific use(s) : Laundry aid (gasing). Automatic process

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Hydrogen peroxide	7722-84-1	OELV - 15 min	2 ppm	IR_OEL
		(STEL)	3 mg/m3	
		OELV - 8 hrs	1 ppm	IR_OEL
		(TWA)	1.5 mg/m3	

DNEL

DNEL		
Hydrogen peroxide	: End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects: 1.4 mg/m3	ects
	End Use: Workers Exposure routes: Inhalation Potential health effects: Short-term - systemic Value: 3 mg/m3	

8.2 Exposure controls

Appropriate engineering controls

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles

Face-shield

110894E 5 / 13

Hand protection (EN 374) : In case of skin contact it is recommended to wear gloves to avoid

oxidation effect (e.g. skin whitening)

Skin and body protection

(EN 14605)

: No special protective equipment required.

Respiratory protection (EN

143, 14387)

: None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU

requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods

or procedures of work organization.

Environmental exposure controls

General advice : Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless Odour pungent

pΗ : 2.5 - 2.9, 100 %

Particle characteristics

Assessment : not applicable Particle size not applicable Particle Size Distribution : not applicable **Dustiness** not applicable Specific surface area : not applicable Surface charge/Zeta : not applicable

potential

Shape : not applicable Crystallinity : not applicable not applicable

Surface treatment

/Coatings

: Not applicable.

Flash point

Odour Threshold : Not applicable and/or not determined for the mixture Melting point/freezing point : Not applicable and/or not determined for the mixture Boiling point, initial boiling : Not applicable and/or not determined for the mixture

point and boiling range

Evaporation rate : Not applicable and/or not determined for the mixture Flammability : Not applicable and/or not determined for the mixture Upper explosion limit : Not applicable and/or not determined for the mixture Lower explosion limit Not applicable and/or not determined for the mixture Vapour pressure Not applicable and/or not determined for the mixture

110894E 6/13

Relative vapour density : Not applicable and/or not determined for the mixture

Density and / or relative : 1.1 - 1.16

density

Water solubility : soluble

Solubility in other solvents : Not applicable and/or not determined for the mixture Partition coefficient: n- : Not applicable and/or not determined for the mixture

octanol/water (log value)

Auto-ignition temperature : Not applicable and/or not determined for the mixture

Thermal decomposition : Not applicable and/or not determined for the mixture

Viscosity, kinematic : 8.865 mm2/s (40 °C)

Explosive properties : Not applicable and/or not determined for the mixture

Oxidizing properties : Yes

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

Decomposes on heating. Potential for exothermic hazard.

10.2 Chemical stability

Decomposes on heating.

Contamination may result in dangerous pressure increases - closed containers may rupture.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Metals

Reducing agents

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Not applicable.

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation, Eye contact, Skin contact

110894E 7 / 13

exposure

Product

Acute oral toxicity : Acute toxicity estimate : 1,406 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 20 mg/l

Test atmosphere: vapour

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : Hydrogen peroxide LD50 rat: 486 mg/kg

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Harmful if swallowed.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : No symptoms known or expected.

Ingestion : No information available.

Inhalation : No symptoms known or expected.

11.2 Information on other hazards

110894E 8 / 13

Further information : no data available

Section: 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Environmental Effects : Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : Hydrogen peroxide96 h LC50 Pimephales promelas (fathead

minnow): 16.4 mg/l

Components

Toxicity to algae : Hydrogen peroxide72 h EC50 Skeletonema costatum (marine

diatom): 1.38 mg/l

12.2 Persistence and degradability

Product

no data available

Components

Biodegradability : Hydrogen peroxideResult: Not applicable - inorganic

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

110894E 9 / 13

12.7 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product : Do not contaminate storm water drains, natural waterways or soil

with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken

to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local,

state, and federal regulations.

Guidance for Waste Code

selection

: Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC)

and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number or ID : 2014

number

14.2 UN proper shipping : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

name

14.3 Transport hazard : 5.1 (8)

class(es)

14.4 Packing group : II14.5 Environmental hazards : No14.6 Special precautions for : None

user

Air transport (IATA)

Not permitted for transport

Sea transport (IMDG/IMO)

14.1 UN number or ID : 2014

number

14.2 UN proper shipping : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

name

14.3 Transport hazard : 5.1 (8)

110894E 10 / 13

class(es)

14.4 Packing group : 11 14.5 Environmental hazards : No 14.6 Special precautions for : None

user

14.7 Maritime transport in

bulk according to IMO

instruments

: Not applicable.

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents : 30 % and more: Oxygen-based bleaching agents

Regulation EC 648/2004

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated (containing reportable or/and restricted substances) by Regulation (EU) 2019/1148 (explosives precursors): all suspicious transactions, significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive : Not applicable.

2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

Candidate List of Substances : Not applicable.

of Very High Concern for

Authorisation

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : Safety, Health and Welfare at Work Act, 2005

> European Communities (Classification, Packaging, Labelling and Notification of Dangerous Preparations) Regulations 1995. (S.I.

272 of 1995) as amended

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Acute toxicity 4, H302	Calculation method
Serious eye damage 1, H318	Calculation method
Chronic aquatic toxicity 3, H412	Calculation method

Full text of H-Statements

H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

110894E 11 / 13

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios

110894E 12 / 13

Exposure Scenario: Laundry aid (gasing). Automatic process

Life Cycle Stage : Use at industrial sites

Product category : PC35 Washing and cleaning products (including solvent based

products)

Contributing scenario controlling environmental exposure for:

Environmental release

category

ERC4

Industrial use of processing aids in processes and

products, not becoming part of articles

Daily amount per site : 50 kg

Type of Sewage Treatment

Plant

Municipal sewage treatment plant

Contributing scenario controlling worker exposure for:

Process category : PROC8b Transfer of substance or preparation (charging/

discharging) from/ to vessels/ large containers at

dedicated facilities

Exposure duration : 60 min

Operational conditions and

risk management measures

Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : see section 8

Respiratory Protection : see section 8

Contributing scenario controlling worker exposure for:

Process category : **PROC2** Use in closed, continuous process with occasional

controlled exposure

Exposure duration : 480 min

Operational conditions and risk management measures

Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : see section 8

Respiratory Protection : see section 8

110894E 13 / 13