

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Cif Professional All Purpose Cleaner Lemon Fresh

Revision: 2022-12-01 **Version:** 02.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Cif Professional All Purpose Cleaner Lemon Fresh Cif is a registered trade mark and is used under licence of Unilever

UFI: UT87-W0V3-400F-D71F

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Hard surface cleaner Floor cleaner.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_10_1 AISE_SWED_PW_11_1 AISE_SWED_PW_19_1

PC35-Washing and cleaning products

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone)

Hazard statements:

H319 - Causes serious eye irritation.

EUH208 - May produce an allergic reaction.

Precautionary statements:

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium alkylbenzenesulphonate	290-656-6	90194-45-9	[1]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		3-10
alkyl alcohol ethoxylate	[4]	68439-46-3	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		1-3
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	[6]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		0.01-0.1

Specific concentration limits

1,2-benzisothiazol-3(2H)-one:

• Skin Sens. 1 (H317) >= 0.05%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required. [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove Eye contact:

contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get

medical attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use. Skin contact: No known effects or symptoms in normal use.

Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

DNEL/DMEL drai exposure - Consumer (mg/kg bw)				
Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects	effects	effects
sodium alkylbenzenesulphonate	-	-	-	0.425
alkyl alcohol ethoxylate	-	-	-	-
1.2-benzisothiazol-3(2H)-one	-	-	-	_

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium alkylbenzenesulphonate	No data available	-	No data available	-
alkyl alcohol ethoxylate	-	-	-	-
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium alkylbenzenesulphonate	No data available	-	No data available	-
alkyl alcohol ethoxylate	-	-	-	-
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
1,2-benzisothiazol-3(2H)-one	-	-	=	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
1,2-benzisothiazol-3(2H)-one	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium alkylbenzenesulphonate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
1,2-benzisothiazol-3(2H)-one	0.0026	0.00026	-	0.055

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium alkylbenzenesulphonate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
1,2-benzisothiazol-3(2H)-one	0.0132	-	0.33	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: Provide a good standard of general ventilation.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	С	-	-	ERC8a
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

Hand protection:

Body protection:

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 166). No special requirements under normal use conditions. No special requirements under normal use conditions.

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided. Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if

available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Yellow

Odour: Citrus

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium alkylbenzenesulphonate	No data available		
alkyl alcohol ethoxylate	> 232.2	Method not given	
1,2-benzisothiazol-3(2H)-one	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 11 (neat) ISO 4316

Dilution pH: ≈ 8 (10%)

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium alkylbenzenesulphonate	No data available		
alkyl alcohol ethoxylate	100 Soluble	Method not given	
1,2-benzisothiazol-3(2H)-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium alkylbenzenesulphonate	No data available		
alkyl alcohol ethoxylate	< 10	Method not given	37.8
1,2-benzisothiazol-3(2H)-one	No data available		

Method / remark

Relative density: $\approx 1.06 (20 \,^{\circ}\text{C})$ OECD 109 (EU A.3)

Relative vapour density: No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive

Weight of evidence

9.2.2 Other safety characteristicsNo other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2 Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium alkylbenzenesulphonate	LD 50	> 1470	Rat	OECD 401 (EU B.1)		10000
alkyl alcohol ethoxylate	LD 50	1400	Rat	Weight of evidence		27000
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat			1e+007

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium alkylbenzenesulphonate		No data available				Not established
alkyl alcohol ethoxylate	LD 50	2000 - 5000	Rat	Weight of evidence		Not established
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate		No data available			
alkyl alcohol ethoxylate		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Acute inhalative toxicity, continued

Acute initialative toxicity, continued				
Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
1.2-benzisothiazol-3(2H)-one	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	No data available			
alkyl alcohol ethoxylate	Not irritant		Weight of evidence	
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	No data available			

alkyl alcohol ethoxylate	Severe damage	Rabbit	Weight of evidence OECD 437	
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	No data available			
alkyl alcohol ethoxylate	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	No data available			
alkyl alcohol ethoxylate	Not sensitising		Weight of evidence	
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	No data available			
alkyl alcohol ethoxylate	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium alkylbenzenesulphonate	No data available		No data available	
1 ,	No evidence for mutagenicity, negative test results	OECD 473	No data available	
	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Carcinogenicity			
	Ingredient(s)	Effect	
	sodium alkylbenzenesulphonate	No data available	
alkyl alcohol ethoxylate		No evidence for carcinogenicity, negative test results	
	1,2-benzisothiazol-3(2H)-one	No data available	

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium alkylbenzenesulphonat e			No data available				
alkyl alcohol ethoxylate	NOAEL		> 250	Rat	Not known		No effects on fertility No developmental toxicity
1,2-benzisothiazol-3(2H)-one			No data available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol ethoxylate	NOAEL	80 - 400		OECD 408 (EU B.26)		
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium alkylbenzenesulphonate		No data				
		available				
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU	90	
				B.28)		
1,2-benzisothiazol-3(2H)-one		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium alkylbenzenesulphonate		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
1,2-benzisothiazol-3(2H)-one		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium alkylbenzenesulphonat e			No data available					
alkyl alcohol ethoxylate			No data available					
1,2-benzisothiazol-3(2H)-one	·	·	No data available	·				

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium alkylbenzenesulphonate	No data available
alkyl alcohol ethoxylate	No data available
1,2-benzisothiazol-3(2H)-one	No data available

STOT-repeated exposure

ere repeated expectio	
Ingredient(s)	Affected organ(s)
sodium alkylbenzenesulphonate	No data available
alkyl alcohol ethoxylate	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting propertiesEndocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	LC 50	No data available			
alkyl alcohol ethoxylate	LC 50	5 - 7	Fish	92/69/EEC, C1, semi-static	96
1,2-benzisothiazol-3(2H)-one	LC 50	2.18	Oncorhynchus mykiss	OECD 203 (EU C.1)	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	EC 50	1.62	Daphnia magna Straus		48
alkyl alcohol ethoxylate	EC 50	5.3	Daphnia	92/69/EEC	48
1,2-benzisothiazol-3(2H)-one	EC 50	2.94	Daphnia	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	EC 50	29	Selenastrum capricornutum		96
alkyl alcohol ethoxylate	EC 50	1.4 - 47	Not specified	92/69/EEC	72
1,2-benzisothiazol-3(2H)-one	Er C 50	0.11		OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium alkylbenzenesulphonate		No data available			
alkyl alcohol ethoxylate		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium alkylbenzenesulphonate		No data available			
alkyl alcohol ethoxylate	EC 50	> 140	Bacteria	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
1,2-benzisothiazol-3(2H)-one	EC 20	3.3	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol ethoxylate	EC 10	8.983	Not specified	Method not given	21 day(s)	
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
sodium alkylbenzenesulphonate		No data				
		available				
alkyl alcohol ethoxylate	EC 10	2.579	Daphnia sp.	Method not	21 day(s)	
				given		
1,2-benzisothiazol-3(2H)-one		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw sediment)			time (days)	
sodium alkylbenzenesulphonate		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
1,2-benzisothiazol-3(2H)-one		No data				
		available				

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

dahility - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium alkylbenzenesulphonate				OECD 301B	Readily biodegradable
alkyl alcohol ethoxylate				OECD 301B	Readily biodegradable
1,2-benzisothiazol-3(2H)-one	Adapted activated sludge	CO ₂ production	62% in 4 day(s)	OECD 301C	Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
1,2-benzisothiazol-3(2H)-one	Sewage treatment plant simulation	Primary degradation	> 90%	OECD 303A	Biodegradable

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium alkylbenzenesulphonate	No data available			
alkyl alcohol ethoxylate	3.11 - 4.19	Method not given	High potential for bioaccumulation	
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium	No data available				
alkylbenzenesulphonat					
е					
alkyl alcohol ethoxylate	< 500		Method not given	High potential for bioaccumulation	
1,2-benzisothiazol-3(2H	6.95		OECD 305		
)-one					

12.4 Mobility in soil

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium alkylbenzenesulphonate	No data available				
alkyl alcohol ethoxylate	No data available				Potential for mobility in soil, soluble in water
1,2-benzisothiazol-3(2H)-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

European Waste Catalogue:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Water, if necessary with cleaning agent. Suitable cleaning agents:

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods 14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants, non-ionic surfactants, soap perfumes, Benzisothiazolinone

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1003946 Version: 02.1 Revision: 2022-12-01

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 3, 8, 11, 12, 13, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- · H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate

- DNEL Derived No Effect Limit
 EC50 effective concentration, 50%
 ERC Environmental release categories
 EUH CLP Specific hazard statement
 LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level

- NOEL No observed effect level
 OECD Organisation for Economic Cooperation and Development
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 PROC Process categories
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet